




ADVANCED RACING TECHNOLOGY






























FROM 2015, KIDS CAN BE DRESSED LIKE ADULTS: WE CAN REALIZE SUITS WITH THE SAME DESIGN BOTH FOR THE FATHER AND HIS SON.



BREATHABLE DRY SYSTEM



To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear and breathable clothing.

The **OMP ONE** line suits (OMP 40 YEARS, ONE EVO, ONE-S and TECNICA EVO) have breathable inserts in strategic areas where the perspiration is more intense. The inserts ability to cool is enhanced when worn with the **OMP ONE** breathable underwear.





New breathable material inserts are strategically located on back and lumbar area for maximum cooling in hot conditions (for maximum cooling effect, One suits should be used along with One Underwear).

Very often drivers incur situations in which the regulation of body temperature is compromised and the risk of hyperthermia is very high.

The increase in body temperature increases the feeling of 8856-2000).

dents. Body areas subject to a greater perspiration are: underarm, brachial, back, lumbar, front tibial and popliteal

The OMP ONE line breathable suits and underwear facilitate the body thermoregulation, thanks to the innovative weave of the inserts, strategically positioned, that allow for high breathability whilst still maintaining their own fire-retardant properties (according to the FIA standard



HOMOLOGATION FIA 8856-2000

SFI on request only for special production

SIZES: 46-64

sizing information on page 287

2015 MY

SHAPED COLLAR

with inner soft knitted

FLOATING ARMS

made of soft knitted elastic fabric

with elastic bellows

PRE-CURVED SLEEVES

for maximum comfort

DRY SYSTEM

3D breathable material





FOCUS ON

To help drivers reduce body temperature and improve their performance, OMP has designed a range of underwear

and breathable clothing.

The OMP ONE line and TECNICA EVO breathable racing suits and underwear to facilitate the body thermoregulation, thanks to the innovative weave of the inserts, strategically positioned, that allow for high breathability while still maintaining their own fire-retardant properties (according to the FIA standard 8856-

FRESH AIR IN HOT AIR OUT




ONE EVO racing suits have breathable inserts, which have been increased to offer more comfort.

The cooling effect of the inserts is improved when worn with the OMP ONE breathable underwear that now offers a cooling spray solution. OMP's Dry System is a registered utility model.

ONE EVO SUIT, the TOP OMP suit for "TOP" drivers as me... Excellent transpiration, lightness and comfort. This is the only way I struggled up to the end and I achieved the WRC World Vice Champion!! J. M. LATVALA













NEW

HOMOLOGATION FIA 8856-2000 SFI on request

SIZES: 44-64



23

DART

IA01836E € 389,00 (c)

APPROVED

HOMOLOGATION FIA 8856-2000 SFI on request



FIRST-S SIII

IA01828A € 315,00 (C)

APPROVED

PROFESSIONAL RESISTANT AND COMFORTABLE SUIT

External fabric in fire-retardant fiber, resistant to wear and repeated washings. Internal comfortable fire-retardant knitted fabric. Excellent quality/ resistance/ comfort/price ratio. Outer pockets.

> IA01828A061XX Red

ULTRA-FLAT anti rubbing seams



IA01828A083XX Silver



IA01828A041XX Blue



IA01828A071XX Black

HOMOLOGATION FIA 8856-2000 SFI on request



IA01844089XX

OMP SPORT III



HOMOLOGATION	LAYERS	gr/m²	SIZES	*SFI on reques	st only for special pro	duction	
ONE EVO SUIT				IA01851178XX	IA01851270XX	IA01851076XX	IA01851089XX
FIA 8856/2000	3	235	46 64				
SFI on request*			04	Gue			
ONE-S SUIT				IA01837071XX	IA01837041XX	IA01837061XX	IA01837083XX
FIA 8856/2000	3	235	46 64				
SFI on request*			04	The second less			
TECNICA EVO SUI	Т			IA01844076XX	IA01844043XX	IA01844243XX	IA01844063XX
FIA 8856/2000	3	295	44 64				
SFI on request	7				70		
TECNICA-S SUIT				IA01850076XX	IA01850043XX	IA01850063XX	IA01850089XX
FIA 8856/2000	2	400	44 64				5
SFI on request	W 1		04		N. C. C.		
DART				IA01836E076XX	IA01836E043XX	IA01836E063XX	IA01836E089XX
FIA 8856/2000	2	400	44 64	1	1	1	K
SFI on request			20				
FIRST-S SUIT				IA01828A071XX	IA01828A041XX	IA01828A061XX	IA01828A083XX
FIA 8856/2000	2	400	46		OME	OFF.	
SFI on request	1 2 V	400	64	AST TO			
OMP SPORT SUIT	1.20	1.1.36		IA01847F071XX	IA01847F041XX	IA01847F061XX	AND RESIDENCE OF THE PARTY OF T
FIA 8856/2000	2	400	S	-0	-	-	()//
SFI on request ONE VINTAGE SEE		DK.	XXL	IA01842020XX	IA01842071XX		
FIA 8856/2000	3	235	46			18	
SFI on request	3	233	64			346,346	
LE MANS SEE PAGE	193	1.302	(1/1/2	IA01823F022XX	Athen	137 375	
FIA 8856/2000 SFI 3-2A/5 on request	3	320	46 64	- P	138		
CLASSIC SEE PAGE				IA01816F028XX	IA01816F042XX		
FIA 8856/2000	2	400	46 64	AUTOTOFUZOXX	IAUTOTOFU42XX		

SFI 3-2A/5 on request

The XX in each part number indicates the NOTE location of the size.


25

"SU MISURA"

SUIT CUSTOMIZATION SERVICE

With the "MADE TO MEASURE" service, OMP meets the requirements of its customers by preparing custom fire retardant suits based on production models that are strictly tailored, where advanced technology meets handcrafted tradition.

Our background boasts the benefit and experience of making one of the most famous custom suits ever made: that of Michael Schumacher which he used with great success in F1 for 11 years.



THE FOLLOWING INDICATES THE VARIOUS NECESSARY PARAMETERS WHEN ORDERING A "MADE TO MEASURE" SUIT



CHOICE OF MODEL

OMP models currently customizable, beyond the basic light suit (280 gr/m²) below, are as follows: ONE EVO SUIT (IA01851) - ONE-S SUIT (IA01837) - TECNICA EVO SUIT (IA01844) - TECNICA-S SUIT (IA01850) - DART (IA01836E) - FIRST-S SUIT (IA01828A) - ONE VINTAGE (IA01842) - LE MANS (IA01823F) - CLASSIC (IA01816F)

sketches to be downloaded from our website www.ompracing.com



CHOICE OF FABRIC AND COLOUR

There are four external layer fabric options: SHINY LIGHT, SHINY, SATEEN and SATIN, in various colour options depending on the selected model.

SHINY LIGHTS SANDWICH 235 gr

AVAILABLE IN 8 COLOURS FOR THE MAIN COLOUR REGARDING THE FOLLOWING MODELS: ONE EVO SUIT (IA01851) - ONE-S SUIT (IA01837) - ONE VINTAGE (IA01842)



X/133/041 Royal blue



X/133/042 Navy blue



X/133/033 Dark green



X/133/061 Red



X/133/020 White



X/133/071 Black



X/133/080 Silver



X/133/002 Gold

51-111 SANDWICH 280 gr / 350 gr

AVAILABLE IN 20 COLOURS FOR THE MAIN COLOUR REGARDING OMP CUSTOMIZED SUIT 280 gr AND FOR THE CONTRASTING INSERTS REGARDING THE FOLLOWING MODELS:

ONE EVO SUIT (IA01851) - ONE-S SUIT (IA01837) - TECNICA EVO SUIT (IA01844) - TECNICA-S SUIT (IA01850) - ONE VINTAGE (IA01842)



SATEEN

AVAILABLE IN 12 COLOURS FOR THE MAIN COLOUR REGARDING THE FOLLOWING MODELS: TECNICA EVO SUIT (IA01844) - TECNICA-S SUIT (IA01850)








X/131/144 Sky blue X/131/041 Royal blue X/131/042 Navy blue X/131/037 Green X/131/033 Dark green X/131/051 Yellow



X/131/061 Red











X/131/071 Black

X/131/080 Silver

SANDWICH 400 gr

AVAILABLE IN 12 COLOURS FOR THE MAIN COLOUR REGARDING THE FOLLOWING MODELS:

DART (IA01836E) - FIRST-S SUIT (IA01828E) - LE MANS (IA01823F) - CLASSIC (IA01816F)



X/121/021 White

White

X/121/022 Ecrù








X/121/040 Light blue X/121/041 Royal blue X/121/037 Green



X/121/010 Brown



X/121/091 Orange

X/121/061 Red

X/121/082 Dark grey X/121/071 Black X/121/080 Silver

DRY SYSTEM FABRIC INSERTS

4 COLOUR OPTIONS FOR ONE EVO SUIT (IA01851) - ONE-S SUIT (IA01837) - TECNICA EVO SUIT (IA01844)

KNIT FABRIC INSERTS

10 COLOUR OPTIONS FOR KNIT PANEL INSERTS AND CUFFS







Dark grey





X/102/071

Black





X/102/081

Silver



X/102/061



X/102/082 X/102/020 Dark grey White

Green

X/600/042 X/600/061 Navy blue Red

CHOICE OF CUSTOM DESIGN

A custom design of your own making may be submitted to our sales department (please use the dwg that can be downloaded from our website) or a design proposal can be selected from our available designs.

X/102/028

Ecrù





SEND LOGO FILES

To include sponsor logos on the suits, please send the logo files in JPG or PDF format to our sales department along with the positioning and size on the custom suit sketch.







TAKE YOUR MEASURES

Taking suit measurements requires the utmost precision and we ask that you kindly follow the procedures indicated on the custom suit order form available in PDF format on our website: www.ompracing.com

Please use a cloth (tailor/seamstress) measuring tape and measure against the body and undergarments of the driver. Upon receiving the information we will be able to give a detailed quotation.


MEASURING INSTRUCTIONS


- A CHEST measure the circumference just under the arms while keeping both arms along the driver's body.
- **B WAISTLINE** waistline circumference.
- **C** HIPS pelvis circumference; measurements to be taken at the largest point of the buttocks.
- **D** THIGH thigh circumference; measurements to be taken at the largest point of the thigh.
- **E** ARM measurements to be taken from the shoulder point to the wrist.
- **F** INSIDE LEG measurements to be taken on the internal part of leg, from the groin to the malleolus.
- **G** SHOULDERS measurements to be taken from the right houlder point to the left shoulder point.

- **H** BACK measurements to be taken from the base of the neck to the waistline.
- **SHOULDER** measurements to the neck at the top of the arm.
- **L BICEPS** biceps circumference.
- **M** SIDE measurements from the waist to the ground.
- ${f N}$ CROTCH from the front waist point to the rear waist point.
- O NECK circumference.
- **P CROTCH** from the hole of the neck to the nape

WEIGHT (kg):	
HIEGHT (cm):	

slim





BUILD sign your body-build parameter

thin robust normal

SELECT YOUR FAVORITE FIT

sign your wearability parameter of the suit

regular

For info about standard production suits see body measurements table on pag. 287

For further information please contact our sales department or visit our website: www.ompracing.com

large ___



DMP COOL SHIRT

IAA/752

€ 599,00 (D)



OMP COOLSHIRT

Underwear long sleeved top with integrated water based cooling

FOR MAXIMUM FRESHNESS **USE INVIGORATING** COOLING SPRAY (ref. PC02003)



HOMOLOGATION FIA 8856-2000 SFI on request

SMA (corresponding sizes XS/S / suit sizes 44-48) **MED** (corresponding sizes M/L / suit sizes 50-54) **XLAR** (corresponding sizes XL/XXL / suit sizes 56-60)

2XLAR (corresponding sizes XXXL suit sizes 62-64)



SIZES:

Black


WORLDWIDE

IAA/752028

White

COOL

CONTRACTOR OF THE PROPERTY OF



COOLSHIRŤ SYSTEM"

INTEGRATED QUICK CONNECTIONS

to be used with ID/793 system for short races; to be used with ID/794 system for longer races or go directly for top

performances with the COOLSHIRT PRO AIR and water system ID/795, with additional ventilation for your helmet or seat (see pag. 96)

To be used only with quick connection in red colour. For more details visit OMP web site www.ompracing.com



IAA/752 Back detail

DUAL FLOW CONTROLLER

ID/798 € 249,00

(water and air)- Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through the shirt and the




flow of fresh air in the helmet. Avaible as replacement for Air & Water System dual controller.

UNIVERSAL CONNECTOR AND DRAIN KIT

D/799 € 70,00


Universal connectors for supply hose ID/797. Avaible as replacemente of original parts.



SAFETY PULL RELEASE CONNECTOR

ID/800 € 49,00

Safety pull release connectors that allow to connect the shirt to the supply hose ID/797. Avaible as replacement of original parts.



BRACKET

ID/801 € 90,00

Mounting tray for Club System (ID/794). Comes with tie down strap.



MAINTENANCE ADDITIVE

PC02004 € 15.50 (D)

This non-toxic bio-degradable solution contains a fungicide yet is safe to use in all Coolshirt water based cooling systems. Regular use of this additive will not only help clean the system but it will also improve the performance and life of the system pump.



BAGSYSTEM

ID/793 € 219,00 (D)

WATER COOLING SYSTEM **PORTABLE FLEXIBLE BAG**

Lightweight and waterproof canvas denier bag with an internal 12 V pump. For use in all types of racing. Cooling time:



1/2h - 1h More accessories available. Supply hose ID/797 sold separately.

CLUBSYSTEM

D/794 € 239,00 (D) WATER COOLING SYSTEM **CLUB SYSTEM RIGID BOX**

23 It capacity cooling unit with an internal pump wich supplies water to the cooling undewear through 3 mt of double in-



sulated hose with automatic shutoff/quick disconnects. Perfect from road courses to oval track racing. Cooling time: 6h More accessories available. Supply hose ID/797 sold separately.

COOL SHIRT PRO AIR

COOL SHIRT PRO AIR

& WATER SYSTEM

Used in all levels of racing, it provides temperature controlled cooled water to the driver's Cooling Shirt and cooled filte-



red hair to the helmet, 2.5 mt of double water hose with automatic shutoff/quick disconnects attach the shirt to the unit. The kit includes the box with internal pump and blower, supply water hose (2,5mt), dual flow controller (ID/798), mounting tray (ID/801), air hoses, connectors and filters. Cooling time: 4h More accessories available.

FLOW CONTROLLER

ID/796 € 170,00

Controls the amount of refrigerating effect and gives the driver control of his/her comfort while in the race car by controlling the flow of cooling water through his/her



SUPPLY HOSE

ID/797 € 120,00 (D)

CoolShirt 10ft (3 mt) supply hose enables the Cool Shirt Bag or Club System Box to be stored further away from the driver if required. Inherently flexible, the Hose Supply is an ideal accessory to ensure



future flexibility for the Cooling system. Also availabe as replacement for CoolShirt water cooling system damaged hoses.

ONETOP



34

/ MOTORSPO

ONE LONG JOHNS

IAA/740EP € 89.50 (c)

FIA APPROVED

ULTRA-LIGHT PANTS AND BALACLAVA WITH EXCLUSIVE **FEATURES**

Advanced technology knitted fabric with maximum breathability. 3D knitted inserts for maximum cooling in hot conditions.



IAA/740EP/CN/XX Black € 95,50 (C)



DRY SYSTEM 3D breathable material

HOMOLOGATION FIA 8856-2000 SIZES: **SMA** (corresponding sizes XS/S / suit sizes 44-48) **MED** (corresponding sizes M/L / suit sizes 50-54) XLAR (corresponding sizes XL/XXL / suit sizes 56-60)

2XLAR (corresponding sizes XXXL suit sizes 62-64)

FOR MAXIMUM FRESHNESS **USE INVIGORATING COOLING SPRAY**

ULTRA-FLAT SEAMS

(ref. PC02003)



INVIGORATING COOLING EFFECT SPRAY

IAA/740EP028XX

White

PC02003

€ 16,00 (c)

FIA APPROVED

OMP INVIGORATING COOLING EFFECT

OMP's aim to create active underwear it has been achieved with the new OMP Invigorating Cooling Effect System.

Sleeping molecules inserted in the fabric fibers are activated by the spray that gradually releases active principles that produce an invigorating cooling effect. This reaction occurs by transdermal delivery.

The OMP underwear interacts with the organism through the skin. The fabric fibers in contact with the body through the molecules start an osmotic exchange that transfers the active principles and produce the Invigorating Cooling Effect.

Bio-Nanotech Active System **Best Comfort** ActiveThermoregulator Cooling Sensation **Controlled Perspiration Limited Condensation**



The OMP INVIGORATING COOLING EFFECT sprayed on the ONE underweatine (from 2014 production, exclude socks) facilitate the body thermoregu lation, thanks to the research whic has always distinguished OMP.

The treatment does not activate on the 2013 ONE underwear line.



BIO COSMETIC ITEM ACTIVE THERMOREGULATOR

Reduces the high temperatures inside the cockpits, controls perspiration and keeps a steady body temperature, offering an invigorating and cooling sensation.

OMP gives always particular attention to the wellness and comfort of the drivers all over the world.

ONE BALACLAVA

ONE SOKS



HOMOLOGATION:

FIA 8856-2000 SIZES: S - M

FOR MAXIMUM FRESHNESS **USE INVIGORATING COOLING SPRAY**

(ref. PC02003)

IAA/741E/CN/X € 42,00 (c)





These socks make use of the same material of the One Underwear, coupled with advanced knitting techniques to provide differentiated pressure areas, with beneficial effect for blood circulation, reducing the feeling of fatigue in the legs while driving.

FIA APPROVED **HOMOLOGATION FIA 8856-2000**

IAA/746P/CN/XX Black IAA/745/CN/XX SIZES: S/XXL Black € 62,50 (c) SIZES: S/XXL € 77,50 (c) IAA/746P028XX Cream SIZES: S/XXL IAA/745028XX € 59,50 (c) Cream SIZES: S/XXL € 71,00 (c)



Open balaclava, long -jhohns and long sleeve top in new very soft material with flat seams for incredible comfort. Re-engineered balaclava construction for a natural fitting that minimize pressure points. Flat seams.




IAA/747/CN Black One size € 32,50 (c)

IAA/747028 Cream One size € 30,00 (c)

HOMOL. FIA 8856-2000 100% NOMEX®



Open balaclava, long-jhohns and long sleeve top in 100% Nomex® with comfort flat seams. Re-engineered balaclava construction for a natural fitting that minimize pressure points. Flat seams.



HOMOLOGATION FIA 8856-2000 SFI 3.3 FIA APPROVED VISCOSE



IAA/731P/XX Cream SIZES: XS/XXL € 49,00 (c)

Balaclava, long-jhohns and long sleeved top with external seams.



SOCKS

FIA 8856-2000 SFI 3.3



AMALYS

IAA/725 € 210,00 (C) FIA 8856-2000 NOMEX®

FIA APPROVED

Extralight professional pyjama (top and pants) - only upon request:

- one piece of long sleeved top and long johns for maximum protection;
- frontal velcroclosure. Sizes: S/XL

ELBOW PADS

ID/791

Elbow pads with inner padding. In Nomex®. One size. € 41,50 (c)



KNEE PADS

ID/790

Knee pads with inner padding. In Nomex®. One size.

€ 56,00 (c)





36







IB/759

€ 122,50 (c)

DEVELOPED DIRECTLY FROM OMP'S TOP

APPROVED

DRIVERS EXPERIENCE

for maximum grip.

EXTERNAL SEAMS on pinkie, middle

and ring finger for

maximum comfort

Ultra-light fire-retardant elastic

fabric with high adhesion inserts

HAND AND FINGERS SILICON WEBBING

mands

IB/759/N/XX

Black/white

INTERNAL SEAMS

in forefinger and

thumb for maximum

ULTRA-GRIP

accuracy on com-

HOMOLOGATION FIA 8856-2000 SFI on request

PRECURVED

MIXED INTERNAL/ EXTERNAL SEAMS

SIZES: XS - XL

sizing information on page 287

2015 MY

is used on the fingertips and forefingers for maximum **LEATHER INSERTS** grip of the steering wheel

ensuring the correct grip on the shift paddle, buttons or steering wheels

PRECURVED FINGER

design for optimal comfort



INTERNAL SEAMS on the palm

LEATHER PALM

internal points in antislip silicon rubber



IB/759/NGI/XX Black/fluo yellow

IB/759/NV/XX Black/white/fluo green



IB/759/W/XX White/black/red



ELASTIC WRIST STOP

IB/759RS APPROVED

comfort

PROFESSIONAL HI-TECH GLOVE

Professional HI-TECH glove, with new

exclusive palm in fire resistant silicon

rubber and internal points in antislip silicon

€ 130,00 (c)





NEW

FOR 2015

comfort

HOMOLOGATION HAND AND FINGERS FIA 8856-2000

SFI on request

IB/755

APPROVED

EXPERIENCE

DEVELOPED DIRECTLY

FROM OMP'S TOP DRIVERS

€ 109,50 (c)

€ 122,50 (C) for IB/755/GF

PRECURVED

MIXED INTERNAL/ **EXTERNAL SEAMS**

SIZES: XS - XL

sizing information on page 287

INTERNAL SEAMS rubber. New fresh design with yellow fluo in forefinger and

colour. thumb for maximum Available in limited editon. mands





SILICON WEBBING

on the inside of the glove, avoids microslippings of the hand and fingers

SELECTED AREA GRIP

inserts are strategically located in order to decrease bunching

PALM WITH FIRE-RETARDANT, SILICON RUBBER INSERTS

proven to give optimal grip, lightness and sensitivity

SLANTED CUT

IB/755/N/XX





PRECURVED FINGER design for optimal

comfort

HOMOLOGATION FIA 8856-2000 SFI on request

PRECURVED EXTERNAL SEAMS

SIZES: XS - XL

sizing information on page 287













MSA

WINNER

GLOVES

IB/756

€ 94,50 (c)

APPROVED

HIGH ADHERENCE GLOVES

Fire retardant silicon rubber palm for optimized grip and sensitivity, with localized leather inserts that provide impact protection to pressure points areas.

HOMOLOGATION FIA 8856-2000 **PRECURVED EXTERNAL SEAMS** SIZES: XS - XL

sizing information on page 287



€ 71,50 (c)

IB/757 APPROVED

IB/757/B/XX

Blue

LIGHTWEIGHT AND RESISTANT RACING GLOVES

Made of fire retardant fabric, modern and aggressive racing design.

HOMOLOGATION FIA 8856-2000 PRECURVED

INTERNAL SEAMS

SIZES: S - XL sizing information on page 287





Black

44

IB/756/N/XX

MISTRAL







NEWRALLY





HOMOLOGATION	PRECURVED	EXTERNAL SEAMS	PALM INSERT	SIZES				
ONE EVO RS					IB/759RS/NGG/XX			
FIA 8856/2000 HAND AND FINGERS SILICON WEBBING	1	mixed internal/ external	flame retardant silicon	XS XL				
ONE EVO GLO	OVES				IB/759/NGI/XX	IB/759/NV/XX	IB/759/W/XX	IB/759/N/XX
FIA 8856/2000 HAND AND FINGERS SILICON WEBBING	1	mixed internal/ external	flame retardant silicon and leather	XS XL		THE STATE OF THE S	TO	
ONE-S GLOVE	S				IB/755/N/XX	IB/755/B/XX	IB/755/R/XX	IB/755/GF/XX
FIA 8856/2000	1	external	flame retardant silicon	XS XL	ID CHE ALVOY	STEE AND YOU	3 1	SIBL.
					IB/755/NV/XX	IB/755/W/XX		1
TECNICA EVO	GLOVES	1/10/24	4477	200	IB/756/N/XX	IB/756/B/XX	IB/756/R/XX	
DAKKI			flame retardant	MT)	ALC: NO	6.	900	
FIA 8856/2000	1	external	silicon and leather	XS XL	8			
FIRST EVO GLO	OVES				IB/757/N/XX	IB/757/B/XX	IB/757/R/XX	IB/757/W/XX
FIA 8856/2000		internal	leather and silicon	S XL				=
MISTRAL					IB/750/N/XX	IB/750/B/XX	IB/750/R/XX	
FIA 8856/2000		internal	leather	S XL				
FIRST-S GLOVE	S				IB/751E/N/XX	IB/751E/B/XX	IB/751E/R/XX	
FIA 8856/2000		internal	leather	XS XL	ō₩ē		OF OF	
NEW RALLY					IB/702/N/XX	IB/702/B/XX	IB/702/R/XX	
ISO 6940		internal		S XL	THIS DAME	THE STATE OF THE S	OHPE O	
DIJON SEE PAG	E 195				IB/746/M	IB/746/B	IB/746/N	
FIA 8856/2000		internal	leather	S XL				





SHOES

- 1



ONE ESHUE RESHUES

IC/805RS € 340,00 (c)



NEW FOR 2015

HOMOLOGATION FIA 8856-2000 SIZES: 37-48

sizing information on page 287

PROFESSIONAL ULTRA-SOFT AND ULTRA-LIGHT SHOES SOFT CANGAROO LEATHER

Professional racing shoes in soft leather and fabric with exclusive micro adjustment ROTOR- LACING that ensures higher comfort and a perfect fitting. Very light and confortable.

Structure designed to increase the sensitivity on the pedal.

Available in limited editon.



FORMU

IC/805 APPROVED

€ 320,00 (c)

NEW FOR 2015 HOMOLOGATION FIA 8856-2000 SIZES: 37-48

sizing information on page 287

IC/806

€ 229,00 (c)

APPROVED

HOMOLOGATION FIA 8856-2000 SIZES: 37-48

sizing information on page 287

PROFESSIONAL SHOES

Made in resistant and lightweight leather.







54 55

ONE-5 SHOES

IC/801

€ 185,00 (c)

€ 226,00 (C) for IC/801099

TOP LEVEL HI-TECH PROFESSIONAL LIGHT SHOES

Made of top grain leather with modern and aggressive design; interior black soft knitted fabric.





HOMOLOGATION FIA 8856-2000 SIZES: 37-48 for US market available also in size 2EE (42/47) black only

sizing information on page 287













IC/801099XX Fluo yellow



IC/801041XX Blue



IC/801020XX White



IC/801071XX Black



IC/801061XX Red



IC/803 APPROVED

€ 155,50 (c)

HOMOLOGATION FIA 8856-2000

SIZES: 37-48

sizing information on page 287

ULTRALIGHT SEAMLESS SHOES

Made of in soft suede leather. Ultralight outsole construction with inner reinforcement, for direct pedal feel and improved foot protection. Excellent quality/ lightness/ resistance/comfort/price ratio.





IC/803071XX Black



IC/803041XX Blue

FIRSTHIGHBOOTS

IC/799 APPROVED

€ 150,50 (c)

HOMOLOGATION FIA 8856-2000

SIZES: 37-48

sizing information on page 287



Made of suede leather with excellent quality/price ratio. Internal black knitted fabric.



strap closure







MID CUT BOOTS

FIRST-S SHOES

SOFT SUEDE LEATHER

IC/802

SEPARATED ANKLE

strap closure

APPROVED

€ 118,00 (c)

IC/802071XX

Black

SIZES: 37-48 sizing information on page 287

HOMOLOGATION FIA 8856-2000

MODERN DESIGN SHOES

Made of suede leather with excellent quality/price ratio. Internal black knitted fabric.



IC/802061XX



CONFORTABLE SOFT SUEDE LEATHER




sole with heel support in order to help the rotation movement of the foot during driving

D-DRIVER SHOES







HOMOLOGATION	HYDRO CARBONS RESISTANT SOLE	SHAPED BELLOWS	NEW FOOT SUPPORT CONCEPT	PERFO- RATED LEATHER	SIZES				
ONE EVO RS-FORM	IULA SHOES					IC/805RS/XX			
FIA 8856/2000	1	1	MAXIMUM SENSITIVITY	1	37 48	11			
ONE EVO R SHOE	S					IC/805071XX	IC/805099XX	IC/805230XX	
FIA 8856/2000	1	1	MAXIMUM SENSITIVITY	1	37 48		100	100	
ONE EVO SHOES						IC/806071XX	IC/806020XX		
FIA 8856/2000	1	1	1	1	37 48		The state of the s		
ONE-S SHOES	C 10	IIIN'S C				IC/801071XX	IC/801041XX	IC/801061XX	IC/801020XX
FIA 8856/2000	1	1	1		37 48	IC/801270XX	IC/801099XX		THE STATE OF THE S
600 pr.		11/10	ST.	Sept.		IC/801270XX	10/80/1099	100	
			S.C.	4224			73	AVC	
TECNICA EVO SHO	DES			Mar.	347	IC/797071XX	IC/797041XX	IC/797061XX	
FIA 8856/2000	1	SOFT MATERIAL	1	1	37 48	2	S.	A	
FIRST HIGH BOOTS	3					IC/799071XX	IC/799041XX	IC/799061XX	
FIA 8856/2000	1	83			37 48		A		11.
FIRST-S SHOES		V IV	100	1.34		IC/802071XX	IC/802041XX	IC/802061XX	
FIA 8856/2000	1		K)	8	37 48	A			
CO-DRIVER						IC/791E071XX	IC/791E041XX	IC/791E061XX	
FIA 8856/2000	1				37 46			The state of the s	
CARRERA HIGH s	EE PAGE 196					IC/782014XX	IC/782015XX		
FIA 8856/2000	1				37 46				
CARRERA LOW SEE	PAGE 196					IC/784079XX	IC/784015XX		
FIA 8856/2000	1				37 48				

NOTE

The XX in each part number indicates the location of the size.





GP CARBON BBD

SC771F € 1.359,00 (c)



FULL FACE FORMULA HELMET

Internal lining features FIRE RETARDANT technology, removable and replaceable cheek pads (accessories SC119E/SC127E) removable and washable cap (also available as spare part:

accessory SC120).

AIR DUCTING SYSTEM: for maximum driving comfort and optimal thermic exchange (2 vents on the chin, 3 adjustable vents on the top, 3 rear vent holes for best ventilation, intern canalized polystyrene).

Colour: Polar Silver with racing design.



AIR DUCTING

AIR DUCTING SYSTEM

HOMOLOGATION FIA 8860-2010 TWO SHELL SIZES SIZES: XS-XL sizing information on page 287

CARBON FIBER SHELL



NARROW VISOR

opening for Formula use and new setting system for maximum precision and adherence to the shell

RELEASE

resistance tunable

COMPLETE WITH HANS®

safety device clips (replaceable with Hibryd® clips - not included)

AIR DUCTING SYSTEM

CLOSED CHEEK PADS

for IN-EAR interphone use (compatible with cheek pads SC127E for use with headsets or noise reduction kit)

AIR DUCTING SYSTEM

BORDERED **KEVLAR STRAP**

PEED CARBON 8850

AIR DUCTING

4

SYSTEM

SC772F APPROVED

€ 1.319,00 (c)

FULL FACE TOURING HELMET

Internal lining features Fire Retardant technology, removable cheek pads (accessories SC119E/SC127E), removable and washable cap (accessory SC120)

AIR DUCTING SYSTEM: for maximum driving comfort and thermic exchange (2 vents on the chin, 3 adjustable vents on the top, 3 rear vent holes for best ventilation, intern canalized polystyrene).

Colour: Polar Silver with racing design.

WIDE VISOR

opening for optimal use in closed cars. Prepared for visor and accessories of the GP CARBON 8860

CLOSED CHEEK PADS

for IN-EAR interphone use (compatible with cheek pads SC127E for use with headsets or noise reduction kit).

AIR DUCTING SYSTEM

> **BORDERED KEVLAR STRAP**

Product financed in cooperation with resources POR CRO Region of Liquria 2007-2013

COMPLETE WITH HANS®

safety device clips (replaceable with Hibryd® clips - not included)

HOMOLOGATION FIA 8860-2010 TWO SHELL SIZES

AIR DUCTING SYSTEM

CARBON FIBER SHELL

SIZES: XS-XL sizing information on page 287



AIR DUCTING SYSTEM

OPEN FACE PROFESSIONAL HELMET

SC769E € 1.249,00 (c)

APPROVED

This version of the well known Jet Carbon 8860 is compatible with OMP Tech Race control box (JA/856E) as well as with most control boxes in the market with the supplied kit Nexus plug integrated on the shell.

Internal lining features Fire Retardant technology, removable cheekpads (accessories SC123E), removable and washable cap (also available as spare part: accessory SC130).

AIR DUCTING SYSTEM: for maximum driving comfort and thermic exchange (3 rear vent holes for best ventilation, intern canalized polistyrol). Colour: Polar Silver with racing design.

ADJUSTABLE

sun peak



SC769C

APPROVED

WITHOUT INTERCOM SYSTEM VERSION

€ 1.099,00 (c)



JETCARBON 8860 T

SYSTEM

TWO SHELL SIZES SIZES: S-XL sizing information on page 287 **CARBON FIBER SHELL**

HOMOLOGATION FIA 8860-2010

AIR DUCTING



JET CARBON 8860

APPROVED

COMPLETE WITH HI-TECH INTERCOM SYSTEM FEATURES:

soundproofing headset for WRC and S2000 cars, adjustable microphone boom for noise filtering, Nexus plug integrated on the shell for connection to OMP I-RACE (JA/855E) control box.



Product financed in cooperation with resources POR CRO Region of Liguria

2007-2013



Hibryd® clips - not

AIR DUCTING SYSTEM

included)

BORDERED KEVLAR STRAP

NEXUS PLUG

integrated

GRAND PRIX 10



POR CRO Region of Liguria 2007-2013





ETIOINTERCOM

SC761E € 589,00 (c)

APPROVED

HOMOLOGATION SNELL SA 2010 FIA 8858-2010 TWO SHELL SIZES SIZES: XS-XL

sizing information on page 287

COMPLETE WITH HANS®

safety device clips

Hibryd® clips - not

(replaceable with

included)

LIGHT COMPOSITE SHELL

Internal lining made of soft knit fire retardant fabric. Non-allergenic, highly breathable fabric with sanitizing treatment. Removable cheek padding (accessory SC092E).

LIGHTWEIGHT OPEN FACE PROFESSIONAL HELMET



better acustic insulation and improved cup positioning

INCLUDING INTERCOM KIT

with headphone, microphone boom and Nexus jack, ready to be connected to the intercom control box (JA/856E) as well as with most control box in the market with adaptators (see page 86)





Same characteristics as SC761E. Predrilled to install intercom microphone boom and ready for ear cups.



TRIMMED KEVLAR STRAP CLOSURE for greater safety and durability.

> Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013

€ 269,00 (c)

APPROVED

HOMOLOGATION SNELL SA 2010 FIA 8858-2010 SIZES: S-XL sizing information on page 287



ET75INTERCOM

€ 309,00 (c)

APPROVED

OPEN FACE HELMET

retardant knitted fabric,

Includes intercom kit

compatible with new

(microphone and headset)

B-RACE MY2015 control

BLACK VISOR

paddings.

unit (JA/874).

Upholstering made of soft fire

removable and washable cheek



HOMOLOGATION SNELL SA 2010 FIA 8858-2010 TWO SHELL SIZES SIZES: S-XL

sizing information on page 287 COMPOSITE SHELL

HELMET ACCESSORIES

GP CARBON 8860 (SC771F) - SPEED CARBON 8860 (SC772F)

SC117 € 49,00 (c)



Transparent visor with stepless setting. **SC119E** € 67,50 (c)

Spare cheek pads. Sizes: XS/S/ M/L/XL

SC126

Iridium blue visor

with stepless

setting.

SC127E € 53,00 (c)

Cheek pads for headset. Sizes: XS/S/M/ L/XL

€ 77,50 (c)

€ 67,50 (c)

SC129 € 25,50 (c)



€ 71,50 (c)

Pivot kit to fix visors.

SC125

€ 71,00 (c)

Smoked visor with stepless setting.

SC133 € 61,00 (c)

Transparent rear spoiler.



Transparent air cooling top inlet. SC128 € 9,20 (c) SC120E € 67,50 (c)

SC124

Carbon.

Grey sun peak

only for Speed

Visor locking pin standard height (11mm) only for Speed Carbon.

Spare cap

(no picture). Sizes: XS/S/M/L/XL

COMPLETE WITH HANS®

safety device clips (replaceable with Hibryd® clips - not included)

INCLUDING INTERCOM KIT

JET 75

SC776 € 229,00 (c)



Same characteristics as SC769. Prepared for mounting of JA/854 intercom kit.





GP CARBON 8860 (SC771F) - SPEED CARBON 8860 (SC772F) GRAND PRIX 10 (SC754F) - SPEED 10 (SC756F)

SC037 € 8,20 (c)



Aluminium screws to fix peak.

SC014 € 4,10 (c)

Tear off post kit (2 per package).

SC056 € 14,10 (c)

Tear off kit (5 per package).

€ 4,10 (c)

SC136

2 pieces.

€ 4,10 (c)

Visor locking pin low height (10 mm)

SC137


Visor locking pin high height (12 mm) 2 pieces.



Silver sun peak.



Sun peak visor bolts.





Spare cap (no picture). Sizes: S/M/L/XL Spare cheek pads. Sun peak visor Sizes: S/M (for mounting bolts small shell sizes) (aluminium). L/XL (for big shell

SC092E

sizes).

Wind stopper. Sizes: M (for small shell) L (for big shell).

Long white



GRAND PRIX 10 (SC754F) - SPEED 10 (SC756F)

SC089 € 58,00 (c)

SPEED 10 Spare cheek pads. Sizes: S/M (for small shell sizes) Sizes: L/XL (for big shell sizes).



SC088 € 47,00 (c)

GRAND PRIX 10 Spare cheek pads. Sizes: XS/S/M (for small shell sizes) Sizes: L/XL (for big shell sizes).



SPEED 10 H (SC097) Wind stopper. Size M (for small shell). Size L (for big shell).



SC036 € 50,00 (c)

White peak with smoked sun visor.

SC096 € 46,00 (c)

Transparent rear spoiler.



SC134 € 61,00 (c)

SC041

Transparent air cooling top inlet.



€ 77,50 (c)

SC039 € 53,00 (c)



Smoked visor, 4 step setting.

SC040 € 49,00 (c)



Transparent visor, 4 step setting.

SC048

SC043 € 77,50 (c)

Iridium gold visor, 4 step setting.

SC047



Iridium blue visor, 4 step setting.

SC042 € 77,50 (c)



Iridium silver visor, 4 step setting.

€ 43,00 (c)

Transparent short visor, 4 step setting.



€ 46,00 (c)

Smoked short visor, 4 step setting.



GP 75 (SC777)

€ 27,50 (c)



Transparent visor.



Smoked visor.



Kit bottoms for tear off.



SC107 € 3,10 (c)





Tear off (5 pieces).



Cheek pads. Sizes: S/M/L/XL



SC110 € 16,00 (c)

Wind stopper. Sizes: S/M/L



SC113 € 5,10 (c)

Couple front vent.

(SC779) JET 75 INTERCOM

SC086

visor.

€ 9,20 (c)



SC087 € 4,10 (c)

Sun peak visor mounting bolts (no picture).

€ 60,00 (c)

NA/1864/N

Black

€ 23,50 (c)

HANS[®] ACCESSORIES

SC726 PRESPROVED

€ 49,00 (D)

Hans® helmet anchor (male screwe only - the female parts is inside the helmet). For one helmet (to be used exclusively with models SC754 - SC756 - SC761 - SC759 - SC769 - SC771 - SC772 - SC777K).

According to FIA 8858-2010 and 8860 rules.











€ 54,00 (D)

EIA APPROVED

Hans® helmet anchor kit. For one helmet (to be used exclusively with pre-drilled models). According to FIA 8858-2002 rules, HANS® posts can be installed exclusively by the helmet manufacturer or by its authorised dealers. Dealers authorised by OMP racing for installing Hans® device www.ompracing.com/pdf/installing_hans.pdf



HANS® SAFETY DEVICE

OMP distributes the Hans® device produced under license by Stand21.

HOW TO CHOOSE YOUR HANS® DEVICE

To choose the appropriate size and model of Hans® device, it is necessary to measure your neck size and determine the angle of your seating position. The Hans® device can be used with any helmet with the FIA/Hans® homologation and approval (refer to the helmet section to determine which models comply with this homologation and may be used with the Hans® device).

2 INCLINATIONS:

20°: upright seating positions

30°: semi-reclined seating position

Medium: neck size between 38 and 45.5 cm (15"/18").

Large: neck size over 45.5 cm (over 18").

Please note: not for sale in USA and Canada.

SD06CSF CLUB € 299,00 (D) Front

SD07CSF CLUB € 299,00 (D) Weight 900 gr.

Weight 900 gr.

20° inclination Size: L

20° inclination Size: M

SD06UF ULTIMATE

Weight 490 gr. € 1.199,00 (D)

20° inclination Size: M

SD07UF ULTIMATE

Weight 490 gr. € 1.199,00 (D)

20° inclination Size: L

SD10UF ULTIMATE

Weight 490 gr. € 1.199,00 (D)

30° inclination Size: M

SD11UF ULTIMATE

€ 1.199,00 (D) Weight 490 gr.

30° inclination Size: L



Kit shoulders and head padding.



SIZE: S/M/L

SD23



Straps for Hans® collars.

€ 71,00 (D)

Measures:

17" (SD10UF)

18" (SD06CSF - SD06UF -SD11UF)

19" (SD07CSF-SD07UF)



UNIVERSAL ACCESSORIES

ID/789 € 64,00 (c)





ID/789041 Blue

Black Anatomic, round neck collar knit Nomex® for improved comfort.

ID/78907

Inserts: Nomex® fabric. Padded: high density foam. One size.



ID/787/R Red

ID/787/B Blue

ID/787/N

Black

Neck support in knit Nomex®. Padded: high density foam. One size.

NA/1864

NA/1864/B

Blue

Rally helmet box velvet, with wide side pockets.

NA/1864/R

Red

ORA2945

€ 30,50 (A)



Helmet bag in nylon. Shock resistant padding. Removable internal visor pocket.



Helmet carrying net in polyester. Suitable for all cars, can hold 2 helmets



Hans strap bolder in rubber (pair), with sticker.

NA/1871

ORA2961 € 40,00 (A)








Helmet bag to also carry the Hans® in polyester with impact resistant padding. Removable visor pocket.



Helmet hook in steel. To be attached to the roll cage with supplied metal clamps.





I-RACE

€ 515,00 (c) JA/855E

OUTPUT

RCA output for



2 m cable

DRIVER HELMET CONNECTOR

NEW DIGITAL ELECTRONIC

DIMENSIONS 110X60X30 MM **EASY MOUNTING**

DB KILLER modify the control box's electronics enabling

extra filters for loud environmen

camera car

excludes phone

and VHF radio

connection, MP3

CONNECTIONS mobile phone via bluetooth

Jack connection.

CO-DRIVER helmet connector

SUPPLY

2 m cable length

12V power supply

CAN BE FIXED TO THE ROLLBAR

in the preferred and most comfortable position; can be fixed to the dashboard by using the supplied brackets

IRACE ACCESSORIES

HEADSET

JA/868 € 253,00 (c)

I-RACE SERIES: HEADSET.

Excellent insulation from external noise. Flexible microphone boom. For use with intercoms supporting active microphones. Designed to be used with I-RACE intercom JA/855 and JA/855E. Not compatible with Tech-Race Intercom unit JA/856 or JA/856E.

MICROPHONE

JA/862 € 124,00 (c)

I-RACE SERIES: SPARE ACTIVE MICROPHONE BOOM.

Designed to be used with I-RACE intercom JA/855 and JA/855E. Not compatible with Tech-Race Intercom unit JA/856 or JA/856E.



INTERCOM KIT



I-RACE SERIES: INTERCOM KIT FOR OPEN FACE HELMETS WITH WIRE MOUNTED NEXUS CONNECTION (e.g. Jet 10).

Flexible microphone boom. For use with intercoms supporting active microphones. Designed to be used with I-RACE intercom JA/855 and JA/855E. Not compatible with Tech-Race Intercom unit JA/856 or JA/856E.

INTERCOM KIT



I-RACE SERIES: INTERCOM KIT FOR OPEN FACE HELMETS WITH WIRE MOUNTED NEXUS CONNECTION (e.g. Jet 10).

Flexible microphone boom. For use with intercoms supporting active microphones. Designed to be used with I-RACE intercom JA/855 and JA/855E. Not compatible with Tech-Race Intercom unit JA/856 or JA/856E.

TECH RACE

JA/856E € 207,00 (c)

DIMENSIONS 125X60X35 MM EASY MOUNTING

PROFESSIONAL INTERCOM

REDESIGNED ELECTRONIC FOR IMPROVED
PERFORMANCE, INCREASED OUTPUT VOLUME (+30%)
AND ELECTRONIC INTERFERENCES REDUCTION.
Fixable on rollbar or dashboard.

Powered by 9V PP3 (not supplied) or by car battery (through JA/834 cable).



SEPARATED VOLUME



TECH RACE ACCESSORIES

HEADSET

JA/844 € 183,50 (c)

TECH-RACE SERIES: HEADSET. EXCELLENT INSULATION FROM EXTERNAL NOISE.

Flexible microphone boom. Dynamic microphone with integrated noise reduction. Designed to be used with TECH-RACE intercom JA/856 or JA/856E. Compatible with most Intercom units available on the market (adaptors may be needed see on page 00).



MICROPHONE

JA/847 € 82,00 (c)

TECH-RACE SERIES: SPARE MICROPHONE BOOM.

Designed to be used with TECH-RACE intercom JA/856 and JA/856E. Compatible with I-RACE intercom JA/855 and JA/855E and with most Intercom units available on the market (adaptors may be needed).

USE ON JET CARBON HELMETS (TOGETHER WITH THE APPROPRIATE ADAPTOR) TO ACHIEVE **COMPATIBILITY WITH MOST INTERCOM UNITS** AVAILABLE ON THE MARKET.





INTERCOM KIT

JA/857E € 133,00 (c)



2015 MY



TECH-RACE SERIES: INTERCOM KIT FOR FULL FACE HELMETS WITH WIRE MOUNTED NEXUS CONNECTION.

Excellent insulation from external noise, Flat, Velcro fixing, microphone with integrated noise reduction. Designed to be used with TECH-RACE intercom JA/856 or JA/856E. Compatible with most Intercom units available on the market (adaptors may be needed see on page 00).

New components for improved noise insulation.

INTERCOM KIT



TECH-RACE SERIES: INTERCOM KIT FOR OPEN FACE HELMETS WITH WIRE MOUNTED NEXUS CONNECTION.

Excellent insulation from external noise. Flexible microphone boom. Dynamic microphone with integrated noise reduction. Designed to be used with TECH-RACE intercom JA/856 or JA/856E. Compatible with most Intercom units available on the market (adaptors may be needed see on page 00). New components for improved noise insulation.

TECH RACE ACCESSORIES

POWER SUPPLY CABLE

JA/834 € 24,50 (c)

TECH-RACE SERIES: POWER SUPPLY CABLE.

Designed to connect the TECH-RACE JA/856 or JA/856E control box to the 12V car Power supply line



WIRE EXTENSION

JA/829 € 71,50 (c)

TECH-RACE SERIES: WIRE EXTENSION. 1,5 m long extension cable with Nexus plug. Compatible with JET 10 helmets and TECH-RACE Units JA/856 or JA/856E.



NOISE INSULATING KIT

JA/866E

2015 MY

€ 62,50 (c)



Ear-cups complete with pads and noise absorbing foam. Can be used in helmets to abate noise even when intercoms are not required. New components for improved noise insulation.

AUDIO CABLE TO CONNEC

JA/830

€ 35,00 (c)



or JA/855E and JA/856 or JA/856E to the camera

COMPATIBILITY CONTROL BOXES ACCESSORIES











COMPATIBILITY WITH COMPETITORS

JA/852 € 74,50 (c)

STILO intercom unit - JET 10 helmets connecting kit. Interface kit for connecting OMP helmets Jet 10 (SC761; SC761E) and related headsets (JA/844; JA/857; JA/858) to STILO intercom units.



JA/865 € 86,00 (c)

STILO helmets connecting kit. Interface kit for connecting Stilo helmets to both TECH-RACE and I-RACE intercom units (JA/856; JA/856E; JA/855; JA/855E).



JA/871 € 74,50 (c)

STILO intercom unit - JET CARBON 8860T helmets connecting kit. Interface kit for connecting OMP helmets Jet Carbon 8860T (SC769E) to STILO intercom units.



JA/872 € 74,50 (c)

Peltor intercom unit - JET CARBON 8860T helmets connecting kit. Interface kit for connecting OMP helmets Jet Carbon 8860T (SC769E) to Peltor intercom units. NB: JET 10 helmets do not need any interface for connection to Peltor units.



B-RACE

JA/874 RACER LINE € 65,50 (c)



New components for improved sound quality. Without loudspeakers and microphone. One single driver/co-driver volume control. Powered by 9V PP3 battery (not supplied) or by car battery using JA/851 cable - can be fixed to rollbar and dashboard. Can be used with loudspeakers and microphone kit (JA/849, JA/854E) or headseats JA/850E.



Headset with adjustable microphone boom complete with loudspeakers and STEREO plug. Compatible with

intercom control box JA/874.

2015 MY € 75,50 (c) JA/854

Microphone kit for single helmet. To be used with control box JA/874.



JA/849E € 29,50 (c) Microphone kit for single helmet. To be used with control box JA/874.

2015 MY

JA/822 € 13,20 (c)

Adjustable microphone boom in polyurethane (microphone not included) for jet helmets. Can be used with microphone kit JA/849.



DIMENSIONS

JA/851 € 30,50 (c)

12V adaptor cable for intercom control box JA/874 for connection with the car (alternatively to battery 9V DC). Not to be used with JA/833 control box.

CHRONOMETERS

KB/1044 € 165,50 (c)

Dashboard chronometers for rally use with two buttons, display with 6 numbers.

Features start/stop, split time, possibility of downloading data to the PC through a USB cable, (included). Including also a cable with 2 buttons for remote control.



KB/1041 € 19,00 (c)

Handheld stopwatch.

CHRONOGRAPH: with partial and total elapsed times up to 9h 59'59"99, lap times.

CLOCK: with alarm clock and Pacer dater. **TIMER**: with countdown function.



KB/1040 € 35,00 (c)

Liquid crystal handheld stopwatch. 60 memory

CHRONOGRAPH: with split, total elapsed times up to 9h, 59', 59'', 99 seconds. CLOCK: displays hours, minutes, seconds, alarm clock with 12/24h option.

TIMER: with presettable countdown timer. 60 lap memory and lap counter. Shows fastest lap, slowest lap and average lap times.



TRIP MASTER

KB/1045 € 429,00 (T)

The OMP Trip Master makes use of a GPS receiver to calculate distance, however three distance probes can still be connected.


If the GPS signal is lost (Probe indication will flash) during driving it will automatically fall back to the selected probe to prevent any distance loss. Any two different functions can be displayed on the main and interval display by



FUNCTIONS:

- GPS system with external antenna
- Distance indicator (using GPS or probes)
- Stopwatch with countdown function
- Time of the day (hours, minutes, seconds)
 Speed indicator (using GPS or probes)
- Fuel level indicator in Liters
- (for maximum 500L fuel tank)
- Splash proof case
- The unit auto switch off after the being 5 minutes stationary and auto switch on as soon as the vehicle starts moving or by pressing any button.







Measure in mm

sizing information on page 112-113







HA/789 € 4.500,00 (D)

APPROVED

SAFETY LEVEL COMPARABLE TO FORMULA 1 CARS

+300% INCREASED RESISTANCE compared to standard 8858/99, with exclusive technology for maximum resistance and lightness.

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room.

Fire resistant Airnet and velour upholstering (customized on demand).

HC/907 seat bracket required (not included).

SIDE SHOULDER

protection

REMOVABLE CUSHIONS back, base, split leg

Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013



Measure in mm sizing information on page 112-113





- CARBON AIR





HOMOLOGATION FIA 8855-1999 LIGHTWEIGHT CARBON FIBER SHELL

W SIDE FIXING POINTS HANS® COMPATIBLE

PREIMPREGNATED CARBON FIBER VERSION

COMPLETE WITH NEW AIR COOLING KIT AND PREFORATED BACK CUSHION

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Upholstered in high breathability Airnet material. Fits in vehicles with compact

cockpits.

The velvet side is thought for the application of containment cushion, which are available in 2 sizes (M or S) ref. HB/701



Measure in mm sizing information on page 112-113

DOUBLE LEG CUSHION

version (50mm)

ref. HB/702

CARBON

HSC PATENT

COMPATIBLE

HOMOLOGATION FIA 8855-1999

LIGHTWEIGHT CARBON

W SIDE FIXING POINTS

FIBER SHELL

HA/788

€ 1.850,00 (c)

APPROVED

CARBON FIBER VERSION

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Upholstered in high breathability Airnet material. Fits in vehicles with compact cockpits.

The velvet side is thought for the application of containment cushion, which are available in 2 sizes (M or S) see on page 113 ref. HB/701

The base cushion is also available in thicker version (50mm) see on page 113 ref. HB/702



FIBERGLASS







Measure in mm sizing information on page 112-113



PROTOTIPO



sizing information on page 112-113

















HA/773E/N HSC PATENT HSC PATENT CEL COATED







€ 1.469,00 (c)

Same characteristics as HA/773E

CARBON fiber shell VERSION



HSC PATENT COMPATIBLE











HSC PATENT



sizing information on page 112-113

105











PLUS







510

Measure in mm







HSC PATENT COMPATIBLE as HA/741E (only W side fixing points)

LARGE SIZE



HSC PATENT COMPATIBLE



Measure in mm

sizing information on page 112-113


The following measurements are given as a guide. Actual measurements may vary to accomodate production. Seat fitting type: according to FIA regulations the seat must be fixed to the brackets by means of at least four bolts M8 class 8.8. The diagram shows the distances between the fixing points in mm. * the weight refers to the complete seat (tolerance of 10%). ** referring to bottom fixing points of the sliding guide. TYPE W: inner side int. 289 mm
TYPE Y: bottom 345x270 mm

RIDE DIRECTION 345

LEGEND

- A external max width at shoulders

H internal width between



B seat bottom to mid shoulders C seat bottom max external width D total height of seat back E external max width at seat fixing inserts F seat inner width (belt holes area) G bottom length					externa side hea height f harness	ad prote rom the s slot	betwee	to the	y ig		G		v c			V	E
HOMOLOG.	SHELL	AIRNET MATERIAL	CUSHIONS SPLIT LEG	A	В	С	D	E	F	G	н	I	L	HARNESS SLOTS	WEIGHT* (KG)	FIXING	
HTE ONE	HA/761E													ı		ı	ONE
FIA 8862/2009	CARBON		/	625	620	490	890	380	365	480	365	500	655	5	9.2	W	
HRC-ONE	HA/789						ı						ı	1			
FIA 8862/2009	CARBON	✓	/	615	635	455	900	405	365	470	360	460	630	5	9.2	w	
HRC-R CA	RBON AIR	HA/786															
FIA 8855/1999	CARBON	✓	1	615	635	460	890	395	365	470	345	490	620	5	6,2	W	43
HRC-R FIB	ERGLASS A	IR HA/7	793														
FIA 8855/1999	FIBERGLASS	1	/	620	635	470	900	390	365	470	370	530	620	5	9.5	w	B
HRC-R FIB	BERGLASS A	IR XL	IA/794											<u>'</u>			450
FIA 8855/1999	FIBERGLASS	✓	/	610	680	490	980	425	400	480	360	520	675	5	10.3	w	
HRC-R CA	RBON HA/	788															500
FIA 8855/1999	CARBON	1	1	615	635	460	890	395	365	470	345	490	620	5	5,8	W	
PROTOTIPO	O HA/745																
FIA 8855/1999	CARBON	1	1	530	520	440	790	385	380	480	360	450	570	5	6,1	W	
HTE-R HA	/772E																CHA
FIA 8855/1999	FIBERGLASS	/	1	560	570	515	880	420	390	490	315	510	665	5	9.4	W	
HTE-R 400	HA/780E																(All)
FIA 8855/1999	FIBERGLASS	1	1	560	570	515	880	420	390	490	310	420	665	5	10.2	W	
HTE-R XL	HA/771E																
FIA 8855/1999	FIBERGLASS	1	1	580	610	530	920	440	415	550	305	485	705	5	10.5	w	
HTE-R CAI	RBON HA/7	68E															GH)
FIA 8855/1999	CARBON	1	1	545	560	465	880	390	370	470	330	490	665	5	6.6	W	
HTE-R CAI	RBON XL H	A/779E															CHI
FIA 8855/1999	CARBON	1	/	560	580	485	890	425	390	490	330	490	665	5	6.8	W	
112	•		'	' '	'	'		'	'	'	'	1	'			'	

IGATION		ן ן	SS		MEASURE IN MM												
HOMOLOGATION	SHELL	AIRTEX® MATERIAL	CUSHIONS SPLIT LEG	A	В	С	D	E	F	G	н	ı	L	HARNESS SLOTS	WEIGHT* (KG)	FIXING	
WRC-R	I IA/773E I			 						 	1						
FIA 8855/1999	FIBERGLASS	✓	1	620	600	510	890	410	390	480	/	/	645	5	8.8	W	
WRC-R CA	ARBON HA	/769E		ı I				<u>'</u>		' I	' I						
FIA 8855/1999	CARBON	√	1	590	600	495	890	400	365	490	/	/	645	5	5.6	W	4
WRC-R XI	HA/778E		l	I				I		I	I			I			
FIA 8855/1999	FIBERGLASS	√	✓	665	600	520	920	430	415	480	/	/	700	5	10.7	W	
ARS-R H	A/774E			, ,						, ,	, ,						(and)
FIA 8855/1999	FIBERGLASS	✓		590	600	500	910	395	370	490	/	/	615	5	8.9	W	
ARS-R CA	RBON HA/7	770E		' '				<u>'</u>		' 	' 						Que /
FIA 8855/1999	CARBON	√		585	600	480	890	380	360	490	/	/	635	5	5.8	W	
RS-P.T. 2	HA/762E			i I						I	I			i I			(A)
FIA 8855/1999	FIBERGLASS			565	560	510	880	420	395	480	340	510	675	5	10.4	W	
CHAMP-R	HA/766E			I						I	I						
FIA 8855/1999	FIBERGLASS			590	575	520	890	400	360	480	/	/	615	5	8.8	W	
TRS-E PLU	S HA/744E		I	' I				' 		' I	' I			I			
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.3	W Y	
TRS-E SKY	HA/760E		I	' I				' 		' I	' I			I			
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.8	W Y	
TRS-E HA	/741E		l	l				l		I	· 			l		ı	
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.3	W Y	
TRS-E XS	HA/783E		l	l				l		I	· 			l		ı	
FIA 8855/1999	TUBULAR STEEL			520	600	420	870	395	330	470	/	/	575	5	10.2	W Y	
TRS-E XL	HA/781E			I						I	i I						
FIA 8855/1999	TUBULAR STEEL			625	680	540	950	450	415	520	/	/	655	5	12.3	W	
FIRST-R H	IA/790			' I				<u>'</u>		' 	' I						700
FIA 8855/1999	FIBERGLASS			620	600	510	890	410	390	480	/	/	630	5	8.9	W	
TRS LEGEN	ND HA/775			I						I	I			I			
FIA 8855/1999	TUBULAR STEEL			585	640	510	890	410	390	470	/	/	600	5	10.8	W Y	





SEATS

BRACKETS

SINGLE ROW LOWER MOUNTING HOLES "B"

The multi-hole height/angle adjustment pattern of OMP brackets has been optimized to allow up to 21° of inclination, allowing for practically any height/angle mounting combination.



HC/730E

FIA APPENDIX J art. 253

€ 99,50 (c)



Low model. Aluminium. Length: 402.5 mm Thickness: 6 mm

HC/730E Aluminium HC/730E/N Black



FIA APPENDIX J art. 253



Tall model. Steel. Length: 380 mm Thickness: 3 mm New ultra strong material.

HC/830

FIA APPENDIX J art. 253

€ 227,00 (c)



Tall model equipped with a damper. Aluminium. Patented model. Length: 495 mm Thickness: 6 mm

HC/833

FIA APPENDIX J art. 253



Tall model. Aluminium. Length: 495 mm Thickness: 6 mm

DUAL ROW LOWER MOUNTING HOLES "A"

The contours of the OMP brackets have been designed so as not to interfere with the lap belt openings, edges or bottom of the seat.



HC/733E

FIA APPENDIX J art. 253

€ 38,50 (c)



Low model. Steel. Length: 350 mm Thickness: 3 mm New ultra strong material.

HC/832E

FIA APPENDIX J art. 253



Tall model. Steel. Length: 422.5 mm Thickness: 3 mm New ultra strong material.

HC/833E

FIA APPENDIX J art. 253

€ 122,00 (c)



Tall model. Aluminium. Length: 422.5 mm Thickness: 6 mm

HC/833E Aluminium HC/833E/N Black

HC/880

FIA APPENDIX J art. 253 € 191,000 (D)

Mandatory for the mounting of the HTE-ONE E seat; supplied with bolts M12. Steel.


Thickness: 5 mm (no picture)

FOR 2015

Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013

Pair of professional seat bracket in compliance with FIA 8862-2009 rule and mandatory for mounting new HRC-ONE seat (HA/789). Supplied wiht bolts and nuts. Entirely made of Ergal. (no picture) € 1.300,00 (D)

SIDE MOUNT BRACKET DIMENSIONS The dimensions are in mm.	Lowest rear mounting hole"A"	Rear range "B"	Front range "C"	Lowest front mounting hole "D"	Type of bolt pattern	Length of mounting plate "E"	Width of mounting plate "F"	Longitudinal range "G"	Number of holes
HC/730E	86	81.5	81.5	86	В	402.5	50	75	4
HC/731E	110	34.5	93	70.5	В	380	45	75	4
HC/733E	109	17	94	70.5	Α	350	52	25	3
HC/830	77	66	66	77	В	495	48.5	126	6
HC/832E	108	51	107	70	Α	422.5	52	112.5	10
HC/833E	112	51	108	73.5	Α	422.5	59	112.5	10
HC/833	75	100	100	75	В	495	50	125	6



LOWER MOUNTING HOLES "C"

HC/660



Pair of "L" shaped brackets to fit seats with lower attachment points (typeY) to side brackets. Steel.

Thickness: 3 mm

HC/666



Universal couple of brackets for seat with lower attachments. Aluminium Not FIA approved.

HC/665



Sliding rail kit to be mounted between the brackets and the seat. Steel. Not FIA approved.

HC/879

FIA APPENDIX J art. 253



Weld-in universal seat subframe to be adapted to the shell of the vehicle. Two 35mm squared pipes.

Length: 600 mm 4 plates for direct welding to the body (80x60 thickness 3 mm).

4 plates for direct welding to the tube (60x40 thickness 3 mm).

4 buckles for welding M8.

RACING SEAT OPTIONS ACCESSORIES

from € 14,30 (c)

REMOVABLE SEAT CUSHIONS

to be set with velcro only on velour upholstered seats.

Foamed resin, velour upholstered. Colour: black.

- A Lumbar support cushion, small HB/692
- B Lumbar support cushion, medium HB/662
- C Seat cushion HB/695
- **D** Leg support cushion HB/693

HC/893 € 133,50 (c)

Adjustable aluminium cover for 3 positions setting. PATENTED



HB/699 € 30,00 (c)

Head cushion

HB/701 € 73,00 (c)

Lateral pair cushions for HRC seats. Sizes: S, M

HB/698 € 36,50 (c)

Preformed leg support cushion




2 pieces flat leg support cushion




Thicker seat cushion





COMPETITION HARNESS TECHNICAL FEATURES





MODEL

A B C D E

DYNEEMA PROFESSIONAL HARNESSES

 DA0023
 measures according to customer's request

 DA0024
 measures according to customer's request

 DA0030
 measures according to customer's request

 DA0027
 1650
 390
 750
 / 700
 *

 DA0029
 1650
 390
 750
 140
 700
 *

 DA0028HSL 1650
 390
 750
 / 700
 *



Ultra light, ultra comfortable webbing with *Dyneema®*, *the world strongest fiber™*



Professional lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.



Ultra light Titanium fixing element.



Ultra lightTitanium fixing element.



Professional adjuster, endurance version.



Homologation extension for roll bar attachment.



Lightweight steel snap hook.



Plate attachment.

FOCUS ON



AND



AN EXCLUSIVE WORLDWIDE LICENSING AGREEMENT that will introduce Dyneema® in motor racing and kart products.

40% LIGHTER
15% MORE RESISTANT

IN COMPARISON WITH NYLON MODEL

+ COMFORT + RESISTANCE - WEIGHT



0027 HSL

DA0027HSL € 419,00 (c)

APPROVED

WRC BELTS

HOMOLOGATION FIA 8853/98 **FHR ONLY**

SALOON - 6 POINTS



















028 HSL

DA0028HSL € 419.00 (c)

APPROVED

HOMOLOGATION FIA 8853/98 SALOON - 6 POINTS **FHR ONLY**











Region of Liguria 2007-2013





0023 HL

DA0023HL

€ 419,00 (c)


APPROVED

HOMOLOGATION FIA 8853/98 FORMULA - 6 POINTS **FHR ONLY**

FORMULA 6 POINTS SEATBELT

New ultra light, ultra comfortable webbing, making use of *Dyneema®*, the world strongest fiber™. While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. New lightened camlock

For use with FHR.













0023 HL

DA0023HL € 398,00 (c)

APPROVED

HOMOLOGATION FIA 8853/98 FORMULA - 6 POINTS **FHR ONLY**

FORMULA 6 POINTS SEATBELT

New ultra light, ultra comfortable webbing, making use of $\textit{Dyneema}^{\$}$, the world strongest fiber $^{\text{TM}}$. While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. New lightened camlock

For use with FHR.









ULTRA LIGHT TITANIUM FIXING ELEMENT

125



HARNESSES

024HSL

DA0024HSL € 399,00 (c)




WORLDWIDE **FORMULA 8 POINTS SEATBELT**

HOMOLOGATION FIA 8853/98 FORMULA - 8 POINTS **FHR ONLY**

ONLY UPON REQUEST

New ultra light, ultra comfortable webbing, making use of Dyneema®, the world strongest fiber™. While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. New lightened camlock buckle. 2" shoulder strap pull down. For use with FHR.















DA0030HSL € 419,00 (c)

APPROVED

HOMOLOGATION FIA 8853/98 FORMULA - 6 POINTS **FHR ONLY**

SUPERLIGHT PROTOTYPE PROFESSIONAL SAFETY BELT

New ultra light, ultra comfortable webbing, making use of Dyneema®, the world strongest fiber™.

While vehicle engineers will appreciate the weight saving, drivers appreciate the softness of the webbing and the comfort they offer. New lightened camlock buckle.

For use with FHR.



ONLY UPON REQUEST



Product financed in cooperation with resources POR CRO Region of Liguria 2007-2013







127

COMPETITION HARNESS TECHNICAL FEATURES





Buckle of reduced dimensions, made of magnesium and ergal machined from solid.



Professional lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.



Light quick release adjuster made of steel and high strength aluminum, ergonomic and compact.



Professional adjuster made of high strength steel.




Professional adjuster made of high strength steel for 2" lap strap.




Homologated also for direct attachment to roll bars.



Snap hook attachment made of steel with high mechanical strength designed to improve performance and for optimum safety.



DA806HSL 1650 390 750 140 700 * DA806HSLE 1650 390 750 / 700 * DA804SL 1650 390 750 140 700 1650 390 750 140 700 *



1650 390 750 140 700 *

FORMULA ULTRALIGHT - PROFESSIONAL HARNESSES DA811HSL61320 300 660 220 700 * DA807HSL 600 450 600 140 700 *



Plate attachment made of steel with Webbing end sewn specifically for high mechanical strength designed for formula cars attach. formula cars.





Buckle fixed to the crotch strap.



Buckle fixed to the lap strap.



Runner for use with rubber bands specifically for GT cars.



Runner for fixing intercom connectors.

HARNESSES

DB HSLF


DA806HSLF € 261,00 (c) APPROVED

SUPERLIGHT PROFESSIONAL

FHR ONLY









DA806HSLF71

DA806HSLF41 Blue















804SLF

DA804SLF € 240,00 (c)

APPROVED

HOMOLOGATION FIA 8853/98 SALOON - 6 POINTS **FHR FRIENDLY**

SUPERLIGHT PROFESSIONAL **SAFETY BELT**






















131

HARNESSES

€ 209,00 (c)


DA806F

APPROVED


SUPERLIGHT PROFESSIONAL BELT ENDURANCE MODEL

APPROVED

DA806HSLEF € 314,00 (c)



BOB HSLEF





HOMOLOGATION FIA 8853/98

BERLINA - 6 POINTS

FHR ONLY




























OS HLPF

DA805HLPF € 219,00 (c)

APPROVED

HOMOLOGATION FIA 8853/98 **FHR ONLY**

SALOON - 6 POINTS





HOMOLOGATION FIA 8853/98 BERLINA - 6 POINTS FHR FRIENDLY










DA804F71 Black

2"T-TYPE

crotch strap









ADJUSTER











ALSO AVAILABLE WITH PLATE CROTCH STRAP ATTACHMENTS **REF**. DA/805HLPFGT71 (black) DA/805HLPFGT61 (red)













DA804F61

Red

HARNESSES

DA801LF € 192,00 (c)

LIGHT PROFESSIONAL BELT

PULL-UP 3"

lap strap

HOMOLOGATION FIA 8854/98 BERLINA - 4 POINTS FHR FRIENDLY


DA802HF € 169,50 (c)

HOMOLOGATION FIA 8853/98 BERLINA - 6 POINTS FHR ONLY

PROFESSIONAL BELT









802 HF











LIGHTWEIGHT

ADJUSTER

DA802F € 159,50 (c)

PROFESSIONAL BELT


HOMOLOGATION FIA 8853/98 BERLINA - 6 POINTS FHR FRIENDLY

DA801F € 149,50 (c)

HOMOLOGATION FIA 8854/98 BERLINA - 6 POINTS FHR FRIENDLY

PROFESSIONAL BELT

APPROVED APPROVED









Black


















HARNESSES

ETT FORMULA HANS® SL

2/3"

system

1011

shoulder straps to be

used only with the FHR

OMP

crotch strap

DA811HSLF € 219,00 (c)

APPROVED APPROVED

SUPERLIGHT PROFESSIONAL BELT

PULL-UP 3" lap strap

HOMOLOGATION FIA 8853/98 FORMULA - 6 POINTS FHR ONLY

EQ7 FORMULA HANS® SL


DA807HSLF

€ 230,00 (c)

APPROVED


SUPERLIGHT PROFESSIONAL BELT

HOMOLOGATION FIA 8853/98 FORMULA - 6 POINTS FHR ONLY















ADJUSTER

ULTRALIGHTWEIGHT











142




SAFETY BELTS ACCESSORIES

DA809 V LEG STRAP



DB/418

FIA APPENDIX J art. 253



Seat belt plate with threaded 7/16" nut.

DB/421



Reinforced threaded plate for eyebolts.

DB/459

€ 4,80 (c)

Safety seat belt cutter.



DB/460



Safety seat belt cutter, professional, with little hammer, light, emergency lamp and magnet.

DB/461

€ 6,40 (c)

Safety seat belt cutter.



DB/420

FIA APPENDIX J art. 253

€ 2,70 (C)



7/16" eyebolt to attach harness snap-hook fittings.

DB/450/3" SEAT BELT PADS



In velour, use with 3" seat belts.
Clousure: velcro.




DB/450/3"/B Blue



lue Black

DB/450/3"/R Red





FE45 steel bolt-in roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and renforced brace in the main hoop. Supplied with door bars and diagonal reinforcement at rear.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual characteristics of each rollbar on the application list also on



The images of the rollbar next to

illustrative - to verify the actual

the root codes are purely

the application list also on

FE45 steel bolt-in roll bars with door bars.

To be cut to measure and characteristics of each rollbar on welded upon installation.



AB/106/...A supplied partially assembled. AB/106/...AW supplied not assembled. Multi-point weld-in chromoly (25CrMo4) roll bars. Reduced weight and improved rigidity compared with steel boltin roll bars. Supplied partially assembled to facilitate and reduce installation cost.

Sample

drawing

The images of the rollbar next to the root codes are purely illustrative - to verify the actual characteristics of each rollbar on the application list also on www.ompracing.it




Multi-point bolt-in chromoly (25CrMo4) roll

Reduced weight and improved torsional rigidity.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual characteristics of each rollbar on the application list also on


AB/105P/...



FE45 steel multi-point boltin roll bars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual characteristics of each rollbar on the application list also on www.ompracing.it

AA/105/...A



FE45 steel weld-in roll bars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.


The images of the rollbar next to the root codes are purely illustrative - to verify the actual characteristics of each rollbar on the application list also on



Off road Fe 45 steel bolt-in roll bars.

The images of the rollbar next to the root codes are purely illustrative - to verify the actual characteristics of each rollbar on the application list also on

AA/103/... AB/107/... AA/102/... AB/108/...



AA/103/... AB/107/... Replcement front hoop in FE45 steel (only for AA/104P and AB/105P) AA/102/... AB/108/... Replcement rear hoop in FE45 steel (only for AA/104P and AB/105P)

The images of the rollbar next to the root codes are purely illustrative - to verify the actual characteristics of each rollbar on the application list also on www.ompracing.it

ROLL CAGE ACCESSORIES

AA/113

Foamed rubber

sold in pieces

of 2 m.

Ø 40 mm

Ø 50 mm

sleeving for roll bar

AA/113-40 € 19,50 (C)

AA/113-50 € 26,00 (C)

FIA APPENDIX J art. 253

AA/122

Connection for roll bar,

AA/122 € **7,50** (c)

AA/122-50 € **7,20** (C)

with tube Ø 40 mm

with tube Ø 50 mm

complete with hardware.

FIA APPENDIX J art. 253

FIA APPENDIX J art. 253

Thickness: 1,5 mm

AA/200



AA/175

FIA APPENDIX J art. 253

€ 9,30 (c)

Universal "L" shaped reinforcement plate. Adjustable and suitable for any standard steel roll bar.

Thickness: 3 mm

AA/123

and AA/122-50.

FIA APPENDIX J art. 253

AA/201

FIA APPENDIX J art. 253

€ 11,30 (c)

Reinforce roll bar crosses. Thickness: 1,5 mm



AA/195

FIA APPENDIX J art. 253

€ 15,50 (c)

Sleeve connecting tube in Fe45 steel



AA/108

FIA APPENDIX J art. 253

€ 51,50 (c)

Pair of door bars FE 45 steel, to be welded (no picture).

Length: 1.20 m Thickness: 2 mm Ø 40 mm



FIA APPENDIX J art. 253

Flat plate lower reinforcement for standard roll bars.

€ 3,70 (c)

Dimensions: 100x120x3 mm



AA/109

FIA APPENDIX J art. 253

€ 86,00 (c)

Pair of door bars FE 45 steel, complete with connections.

Length: 1.25 m Thickness: 2 mm Ø 40 mm



€ 6,00 (c)

Reinforcement to be used with connections AA/122



AA115A

FIA 8857-2001 TYPE A


€ 20,00 (c)

FIA APPROVED

Molded energy absorbing roll bar padding suitable for both.

Length: 490 mm For tube Ø 40/50 mm





FIA APPENDIX J AA/111A art. 253

€ 109,50 (c)

Pair not assembled cross door reinforcement, connections included.

FIA APPENDIX J

art. 253


Ø 40x2 mm



€ 87,00 (c)

Pair of door reinforcements in FE45. Supplied with connecting sleeves. Nuts and bolts included.

Length: 1.25 m Ø 40x2 mm



AA/202A

AA/111

FIA APPENDIX J art. 253


€106,00 (c)

€ 159,00 (c)

reinforcement, connections included.

Pair assembled cross door

Pair assembled cross door reinforcement, connections included.



AA/203

FIA APPENDIX J art. 253

€ 21,00 (c)

Kit (2+2) of perforated plates for rollbar fixing in.



Front



Rear

AA/113/FT € 29,00 (c)

AA/113/FP € 44,00 (c)

ROLL BARS





AA/113/FT/R (50 cm) AA/113/FP/R (100 cm) Red

AA/113/FT/B (50 cm) AA/113/FP/B (100 cm) Blue

OMP

AA/113/FT/N (50 cm) AA/113/FP/N (100 cm) Black

Pair of door bar covers in velour material (same as competition seats) to cover rubber sleeving Ref. AA/113 velcro closing.

SUMPGUARDS TANKGUARDS AND DIFFERENTIAL GUARDS

Made from a special aluminium alloy, these sumpguards have several functions: they protect the mechanical parts such as sump, gear-box, transmission etc. and they also contribute to stiffen the whole body and the front part of the car. For this reason they are suitable for every day use and are particularly useful for those driving on uneven roads.

Search Complete Application List - also on www.ompracing.it





EXTING.

1.4





CEFALS

CEFAL3 € 614,00 (c)







PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings,

New ultralight aluminium bottle with reduced dimensions.

0,9 It of Ecolife

Total weight:

1,8 kg (with stainless steel brackets and clamps).



HOMOLOGATION FIA 2000 OM. ECOLIFE GOLD ONE SEAT N° EX.036.11

> FOR FORMULA **CARS**

ULTRALIGHT Ø 100 mm























CESAL3 € 697,00 (c)







PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings,

New ultralight aluminium bottle with reduced dimensions.

1,3 It of Ecolife.

Total weight:

2,5 kg (with stainless steel brackets and clamps).



HOMOLOGATION FIA 2000 OM. ECOLIFE GOLD SALOON N° EX.035.11

> FOR SALOON **CARS**

ULTRALIGHT Ø 130 mm

























CESAL 3R

CESAL3R € 640,00 (c)







PLATINUM COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with controlbox, tubings, noozles, aluminium bottle.

3 It of Ecolife.

Total weight:

4,3 kg (with stainless steel brackets and clamps).



HOMOLOGATION FIA 2000

FOR SALOON CARS SPECIAL FOR RALLY





























CEFAL2

€ 483,00 (c)









WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with controlbox, tubings, noozles, aluminium bottle.

2,8 It of Ecolife.

Total weight:

4,3 kg (with stainless steel brackets and clamps).



HOMOLOGATION FIA 2000

> FOR FORMULA **CARS**

Ø 160 mm

CESAL2 € 571,00 (c)







WHITE COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.

4,25 It of Ecolife.

Total weight:

6,2 kg (with stainless steel brackets and clamps).



HOMOLOGATION FIA 2000

> FOR SALOON **CARS**

Ø 160 mm





















€ 249,00 (c) CMSST1









4,25 It of Ecolife.

nozzles, steel bottle.

Total weight:

8,1 kg (with stainless steel brackets and clamps).



HOMOLOGATION FIA 2000

> FOR SALOON CARS

Ø 160 mm



CMSST1/R Red





































€ 467,00 (c)







HOMOLOGATION FIA 2000

FOR SALOON CARS SPECIAL FOR RALLY

Ø 160 mm

BLACK COLLECTION

Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, steel bottle.

4,25 lt of Ecolife.

Total weight:

7,7 kg (with stainless steel brackets and clamps).

























HOMOLOGATION

FOR FORMULA

FIA 2000

CARS

CMFST1 € 238,00 (c)









BLACK COLLECTION

Extinguisher system (engine compartment and cockpit) mechanically activated, tubings, nozzles, steel bottle.

2,8 It of Ecolife.

Total weight:

5,6 kg (with stainless steel brackets and clamps).



Ø 130 mm

4M AL TUBING











HAND HELD EXTINGUISHERS

EN3

Aluminium hand held extinguisher, 2 Kg powder. Complete with stainless steel brackets and quick release clamps.

Total weight: 3,1 kg

CAB/316

Ø 108 mm



€ 70,50 (c)

CAB/318

EN3

€ 80,00 (c)



IN COMPLIANCE CAB/319 WITH FIA RULES

€ 100,50 (c)

Steel hand held extinguisher, 2.4 | Ecolife. Complete with aluminium brackets and stainless steel quick release clamps. Total weight: 5 kg

Ø 130 mm

CAB/319/R

CAB/319 Black

IN COMPLIANCE CBB/351 WITH FIA RULES

€ 172,50 (c)

Aluminium hand held extinguisher, 2.4 l Ecolife. Complete with aluminium brackets and stainless steel quick release clamps. Total weight: 4 kg

Ø 130 mm

CBB/351/R

CBB/351/A Silver

> CBB/351 White



REPLACEMENTPARTS

PLATINUM - WHITE - BLACK COLLECTION

CD/393 € 4,60 (c)

Atomiser nozzle specifically for Ecolife systems to be threaded onto "T" or "L' connectors.



CD/398 € 80,00 (c)

Control box for electrically activated units with wiring harness 1,5 m



CD/324/10/N € 9,70 (c)

Fire resistant sheath 5 m roll, ø 10 mm (or ø 8mm ref. CD/324/8/N).



X/363/CAB/CAV

€ 18,50 (c)

Electric extinguisher valve cable w. jack.



X/398/CAV

€ 10,50 (c)



EA/467 € 12,30 (c) Water-proof push button

for external

control.

X/181493

€ 4,10 (c) Rubber ring for push button EA/467



PLATINUM COLLECTION

CD/395/N

€ 4,10 (c)

Straight connection ø8 mm (1/8" junction)



CD/392/N

€ 6,30 (c)

1/8" connection, "T" shaped with quick couplings. ø8 mm



CD/392/N/6

€ 4,60 (c)

1/8" connection, "T" shaped with quick couplings. ø 6 mm



CD/390/N

€ 5,80 (c)

3-way connection with quick attachments ø 8 mm.



CD/399

€ 4,60 (c) Reduction tube ø 6-8 mm.



CD/391/N

€ 5,30 (c)

90° end connection, 1/8" shaped with quick attachments. ø 8 mm



CD/391/N/6

€ 4,10 (c)

90° end connection, 1/8" shaped with quick attachments. ø 6 mm



CD/323/N/8

€ 14,70 (c)

Aluminium tubing ø 8 mm - L. 5 m



CD/323/N/6

€ 6,80 (c)

Aluminium tubing ø 6 mm - L. 3 m



CD/400 € 19,00 (c)

Bracket for CEFAL3.



CD/401 € 20,50 (c)

Bracket for CESAL3.



BLACK COLLECTION

CD/335

€ 14,10 (c) Pull cable for mechanically operated systems.



REPLACEMENT PARTS

WHITE - BLACK COLLECTION

CD/394

€ 3,20 (c)

Straight connection (1/4" junction).



CD/395

€3,20 (c) Straight connection (1/8"



CD/392

€ 4,60 (C)

1/8" connection, "T" shaped with quick couplings.



CD/391

€ 3,60 (c)

90° end connection, 1/8" shaped with quick attachments.



CD/390

€ 5,30 (c) 3-way connection



CD/323/A

€ 5,50 (c) Aluminium tubing ø 6x8 mm - 4 m



CD/314

€ 20,50 (c) Bracket for SINGLE fixed bottles for systems in either STEEL ø 130 mm, or ALUMINUM ø 132 mm

CD/308

€ 17,50 (c) Bracket for fixed bottles for systems in either STEEL or ALUMINIUM,



HAND HELD EXTINGUISHERS

CD/309 € 19,50 (c)

Bracket for HAND HELD STEEL extinguishers Ecolife: CAB/319, ø 132 mm



CD/356 € 19,50 (c)

Bracket for ALUMINIUM HAND HELD extinguisher: CBB/351 ø 130 mm



CD/313 € 18,00 (c)

Bracket for STEEL extinguisher CAB/318, ø 140 mm




CD/312 € 20,00 (c)

Bracket for STEEL extinguisher: CAB/316, ø 108 mm



Support brackets are made according to the current FIA standard





STEERING WHEELS

20 CARBONS

OD/2032/N € 621,00 (c)

CARBON FIBER FLAT SUPPLIED WITH HORN BUTTON









Diameter: 320 mm Handgrip: oval 35x24 mm



950 CARBON D

OD/2028/N € 489,00 (c)

50% LIGHTER


SOM LIGHTER

IN COMPARISON WITH STANDARD VERSION

CARBON FIBER DISHED **SUPPLIED WITH HORN BUTTON**

SUPERLIGHT PROFESSIONAL **DISHED STEERING WHEEL**

Carbon steering wheel is constructed as one integral piece.



Diameter: 350 mm Handgrip: round 30 mm

BLACK STITCHING

SUPERLIGHT PROFESSIONAL

Carbon steering wheel is constructed

STEERING WHEEL

integral piece.

VELOCITA SUPERLEGGERO

OD/2020/N € 219,00 (c)



VELOCITA OV SUPERLEGGERO

OD/2035/N € 253,00 (c)

Same characteristics as OD/2020/N.

Oval section version.

Diameter: 320 mm





Diameter: 350 mm **Handgrip:** round 30 mm

ALUMINIUM

2 39

164

Same characteristics as

OD/2042/F. but whitout

horn button

DRSICA SUPERLEGGERO



CORSICA OV SUPERLEGGERO


OD/2034/N € 253,00 (c)

Same characteristics as OD/2021/N.

Oval section version. Diameter: 350 mm













Titanium colour anodized spokes. Yellow stitching.

OD/1954/TN



OD/1954/N

In suede leather. In suede leather. Black anodized spokes Yellow stitching.



OD/1954/AN

In suede leather. Silver anodized spokes. Yellow stitching.



OD/1956/N

In smooth leather. Black anodized spokes. Yellow stitching.



OD/1956/NR

In smooth leather. Black anodized spokes. Red stitching.



OD/1956/AN

In smooth leather. Gray anodized

spokes. Yellow stitching.



OD/2012/NN € 164,00 (c)


Ø 330

In suede leather. Black anodized spokes. Yellow stitching.





YELLOW STITCHING






SSMOOTH LEATHER

In suede leather. Blue anodized spokes. Black stitching.

OD/1951/BN



Diameter: 350 mm Handgrip: round 30 mm Depth: 95 mm

OD/1979 € 140,00 (c) **OD/1980** € 150,50 (c)



OD/1980/N In smooth leather.

Black anodized spokes. Yellow stitching.




In smooth leather. Black anodized spokes. Red stitching.

SUEDE LEATHER



MID-DEPTH DISHED **SUPPLIED WITH** HORN BUTTON

BLACK ANODIZED SPOKES



Diameter: 350 mm Handgrip: round 30 mm

Depth: 70 mm

OCITA


OD/1957 € 166,00 (c) **OD/1958** € 159,50 (c) OD/1958 In suede leather. Black anodized spokes. Black stitching.

SMOOTH LEATHER



FLAT **SUPPLIED WITH** HORN BUTTON 😭

BLACK ANODIZED SPOKES



Diameter: 350 mm Handgrip: oval 30x25 mm

VELOCITA 380

Ø 380

Handgrip: oval 35x30 mm



OD/2030/NN In smooth leather. Black anodized spokes. Black

stitching.

In suede leather. Black anodized spokes. € 161,00 (c)

OD/1987/NN

€ 166,50 (c)

SUPERQUADRO

OD/1990/NN € 150,00 (c) SUPPLIED WITH HORN BUTTON





FLAT

FLAT

Diameter: 330x290 mm Handgrip: oval 35x27 mm

TARGA



Diameter: 330 mm Handgrip: oval 37x24 mm

TRECENTO



KUBIK

OD/1985/NN € 159,50 (c) **SUPPLIED WITH** HORN BUTTON **BLACK ANODIZED SPOKES BLACK STITCHING SUEDE LEATHER**

> Diameter: 310x265 mm Handgrip: oval 35x28 mm

170

FLAT

These steering wheel hubs have been designed so as to maintain the original steering wheel (flat model) position. When ordering a steering wheel hub you will be required to quote the product code as follows: OD/1960 + vehicle specific code.

Search Complete Application List - also on www.ompracing.com

Anodized black

Adjustable in 4 positions: 24 / 34 / 44 / 54 mm

ODC022171 € 143,00 (A)

Suitable for use with a collapsible steering wheel hub (featuring a collapsible sheet metal frame).

FIXED STEERING WHEEL SPACERS

ADJUSTABLE STEERING WHEEL SPACERS

ODC023 € 75,50 (A)



WHEELPLATE

OD/2029 € 70,00 (c)



Carbon fiber. Thickness: 2.5 mm

For use of up to 2 buttons (included). 2 drill points for attachment between steering wheel and hub. Fixing screws included.



OD/2026

€ 80,00 (c)

Carbon fiber. Thickness: 2.5 mm

For use of up to 4 buttons (not included). 6 drill points for attachment. Fixing screws included.



QUICK RELEASE HUB

ODS/018 € 199,50 (c)

ODS/019 € 219,00 (c)



ODS/020 € 249,00 (c)



3 holes to be welded.


6 holes to be welded.

12 holes to be bolted.



OD/1972/N





SINGLE

SEATER

Diameter: 250x200 mm Handgrip: oval 35x25 mm

SINGLE

INDY OPE


OD/2017/NN


SUEDE LEATHER


SINGLE OD/2016/NN € 174,00 (c) **BLACK ANODIZED SPOKES**











Diameter: 250x170 mm Handgrip: oval 35x25 mm

RACING PEDALSETS AND FOOTRESTS

OA/1010 € 22,50 (A)



Complete 3 pedal in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x100 mm **Dimensions accelerator:** 60x210 mm

OA/1020

€ 13,80 (A)



Complete 3 pedal in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x70 mm Dimensions accelerator: 60x210 mm OA/1000 € 22,00 (A)



Complete 3 pedal in sandblasted aluminium, with standard accelerator pedal. Supplied with steel

bolts. Dimensions brake: 60x100 mm Dimensions accelerator: 60x100 mm

OA/1863

€ 12,80 (A)



Complete 3 pedal in sandblasted aluminium, with standard accelerator pedal. Supplied with steel bolts. Dimensions brake: 60x70 mm Dimensions accelerator: 85x120 mm

OA/1030

€ 12,80 (A)

OA/1050

€ 12,80 (A)

OA/2092 € 41,00 (A)



Complete 3 smooth aluminium pedal, suitable for rally use, already drilled and countersunk. Supplied with steel bolts. Thick: 3 mm



Same features as partnumber OA/1030, but the surface of the pedals is in knurled aluminium and can be shaped as needed. Thick: 2,5 mm




Complete 3 pedal set, ultralight competition in anodized silver aluminium. Supplied with steel bolts.

OA/2070 € 20,50 (A)



OA/2060 € 47,00 (A)



Co-driver's footrest in knurled aluminium. Dimensions: 335x300 mm

OA/1866

€ 30,00 (A)



Co-driver's footrest in sandblasted aluminium. Supplied with steel bolts and brackets.

Dimensions: 320x280 mm

OA/1867

€ 16,00 (A)

Driver's left footrest for left foot, in sandblasted aluminium. Supplied with steel bolts and brackets.

Dimensions: 260x100 mm



OA/2080 € 25,00 (A)



Universal flat footrest in knurled aluminium. Dimensions: 365x418 mm

ODA/2002 € 29,00 (A)



Light racing gear knob in silver anodized aluminium. Threaded coupling M8-M10. Dimensions: high 65 mm ø 50 mm

RACING ACCESSORIES

NA/1819

€ 32,50 (C)

Spare wheel support with quick release system.



NA/1821

€ 42,50 (C)

Combination steel cross wheel spanner and spare wheel support.



NA/1820

€ 31,50 (c)

Steel sheel spanner holder.

Nylon spare wheel

down strap.



NA/1822

€ 30,00 (c)

Diaprene splash guard, to be shaped.

Thick: 2 mm



Spring penholder,

4 penholders each.



NA/1564

€ 3,60

Ear plugs.



NA/1702

€ 333,00 (c)

Dimensions: 2x0,5 m Thick: 5 mm

Diaprene sheet.



NA/1700

€ 14,70 (c)

Polyethylene splash guard.

Dimensions: 50x30 cm Thick: 1.5 mm



NA/1701

€ 39,50 (c)

Dimensions: 50x30 cm

NA/1701 Red NA/1701/B NA/1701/N Black

CD/324/10/N

€ 9,70 (c)

Fire resistant sheath. Ø Internal: 10 mm Length: 5 m




NA/1870/TN

€ 59,00 (c)

Nylon window safety net. Attachment: velcro. **Dimensions webbing:** 60x60 mm FIA J 253.11 approved.





NA/1859

€ 19,00 (c)

Tank tape. Wide: 50 mm Roll: 50 m





NA/1863 - NA/1862

€ 24,00 (c)

€ 10,80 (c)

Co-driver's pad.

NA/1863 Size: A4 Pages: 130

NA/1862 Size: 17,3x22 cm Pages: 130



EB/489

€ 21,00 (c)

Stainless steel pins with large slide pins.



EB/480

€ 24,00 (c)

BONNET PINS AND TOW HOOKS

M10 aluminium pins with small sliding pins in stainless steel.



EB/492

€ 24,00 (c)

Quick release bonnet pins aluminium W 7/16" with stainless steel hardware.





Black



EB/491

€ 21,00 (c)

Stainless steel spring clips. Suitable for hatchbacks.



EB/490

€ 18,00 (c)

M10 stainless aluminium washers.



steel pins slide with large cast





EB/482

€ 12,00 (c)

Rubber hooks (small).



EB/487/N

€ 24,00 (c)

Leather straps.



EB/483

€ 15,00 (c) Rubber hooks

(large).



EB/571

€ 14,80 (A)

Tow Hook, stainless steel painted finish.

Stud: M 12 Internal Ø: 50 mm Thickness: 8 mm Complete locking nut

and washers.



FIA APPENDIX J art. 253

EB/578/R

€ 16,00 (A)

Straps: 2" Ø ring: 14 mm Chassis fixing: two hole 8 mm and 14 mm

FIA APPENDIX J art. 253



EB/580

NEW FOR 2015

Straps: 2" Elastic chassis fixing. Compliant with FIA rules.

FIA APPENDIX J art. 253

€ 17.00 (A)

EB/576

FIA APPENDIX J art. 253

€ 17,00 (A)

Tow Hook, stainless steel painted finish. **Stud:** M 12 Internal Ø: 80 mm Thickness: 8 mm





PIT BOARDS

KC/1068 € 114,00 (c)

PROFESSIONAL

Aluminium frame. Dimensions: 100x72 cm Complete with 42 cards of numbers, letters and symbols measuring 23x14 cm and one customizable plate 23x65 cm supplied in a synthetic leather bag, which stores sidely on the aluminium frame when not being used.



KC/1067 € 92,50 (c)

TRIPLA

Aluminium frame. Dimensions: 72x72 cm Complete with 24 cards of numbers, letters and symbols measuring 23x14 cm



KC/1069

€ 52,00 (c)

42 spare cards for pit boards KC/1067 and KC/1068, supplied in a synthetic leather carrying pouch.



ELECTRICAL ACCESSORIES


CO-DRIVER' MAP LIGHTS

KA/1033 € 33,00 (c) Long model, with

replacement bulb, 12V car feed. Long: 50 cm

KA/1034 € 44,50 (c)

Professional model, particularly rigid, 12V car feed. Long: 50 cm



MASTER SWITCHES

EA/462 € 37,00 (c)

6 poles with removable key disconnecting battery and alternator.

EA/464 € 6,50 (c) Spare key for EA/462 model.

EA/460 € 13,90 (c) 2 poles with removable key disconnecting battery only.

EA/463 € 5,00 (c) Spare key for EA/460 model.

CO-DRIVER' MAP LIGHTS

KA/1035 € 49,50 (c) Professional model. flexible led. Long: 50 cm

KA/1036 € 47,50 (c)

Professional model, flexible led. Long: 40 cm



EB/570



Stay-bars, pair of zinc plated steel stay-bars for spotlights. Variable length: 130/195 mm

FIA APPENDIX



PUSH-BUTTON SWITCHES

With threaded fixing nut, 2 poles.



A/466 €7,10 (c) For interior use.



€ 12,30 (c) EA/467 For exterior use, water resistant.



X/181493 € 4,10 (c) Rubber ring for push button EA/467.

TYRE WARMERS

A line of tyre warmers available in 4 different standard sizes, offering greater versatility across a wider range of tyre sizes and now available in two types: with a standard temperature control thermostat or with a central electronic temperature control box.

Interior: Nomex®.

Exterior: Cordura® which improves transpiration allowing moisture to escape away from the tyre.

Electrical cables and connectors are compliant with EEC electrical standards.

Upon request, tyre warming blankets can be made to measure. Tyre warmers for motorcycles are also available upon request.

Tyre warmers models with a Central Electronic Temperature Control Box (part number T200) allows each of the 4 tyres to have individual temperature settings. The control box features an electronic control device controlled by software preventing overheating. The external case of the control box is ABS plastic with an electrical protection rating of IP44.

T1957C Width: 190/220 mm Ø 570/585 mm € 469,00 (C) T1963C Width: 190/200 mm Ø 630/640 mm € 489,00 (c) **T2363C Width:** 230/260 mm Ø 630/645 mm € 489,00 (c)

Tyre warmers models with a Standard Temperature Control Thermostat allows the tyre surface to reach 70/80 °C.

The time required to reach this temperature is depends on ambient temperature, tyre dimensions and operating

T1957 Width: 190/220 mm Ø 570/585 mm € 419.00 (C) **T1963 Width**: 190/200 mm Ø 630/640 mm € 438,00 (C) **T2363 Width:** 230/260 mm Ø 630/645 mm € 438,00 (C) **T2360 Width**: 230/260 mm Ø 600/620 mm € 438,00 (C)

THE MEASUREMENTS REFER TO THE TYRE SIZES.

T200 Electronic thermostatic control box € 1.499,00 (c) with digital display for tyre warming blankets.

T100 Nylon carrying bag for one complete € 29,00 (C) set of 4 tyre warmers.

179

TG/80 Thermostat for tyre warmers. € 36.50 (c)



CLUTCHES

OMP clutch kits have been specifically engineered and developed for competition, in particular for **Group N** and **Group A** cars. Our clutch cover pressure plate assemblies have a 30% higher clamping force to ensure superior engagement and less slippage under the severest racing conditions. We also offer rigid multi puck clutch discs with sprung centres offering smoother engagement while maintaining a very high torque capacity.

Completely interchangeable with original equipment clutches, OMP clutch kits can also be used to upgrade road driven cars for drivers looking for more aggressive performance.

Rigid clutch disc not recommended for road use. Search Complete Application List - also on www.ompracing.com



BRAKE FLUID

DOT 5

OT/6001

€ 9,90 (A)

Bottle: 250 ml

Boiling point over
230-240 °C



DOT 6

OT/6001/6

€ 16,00 (A)

Bottle: 250 ml

Boiling point over 260 °C





R. KUBICA - WRC







LOOP HOLDER

NB/1892

Back loop holder for radio and tools, belt hight (three loops). NB/1891

Font loop holder for radio and tools (two loops).

RADIO CABLE SLOT

NB/1893R NB/1893L

With flap coverage. Right or left.



INSIDE POCKET

NB/1887R NB/1887L

Right or left.



€ 157,00 (c)

ENDURANCE SHOES

IC/800 Made of rainproof soft

suede leather lined with soft knit fabric. Sole made of resistant rubber, hydrocarbon resistant.

- Colours: black, red, blue.

- Sizes: 37-46 - Homologation:

FIA 8856-2000

IC/100

€ 20,00 (c) Gel anatomic insole (spare

parts) for ENDURANCE shoes. Guarantees higher comfort and stability, maximum cushioning against impact forces. Sizes: 37-46

NB/1890R NB/1890L

Right or left.



NUT HOLDER ON CHEST NB/1889R

NB/1889L Right or left.



BAND HOLDER

NB/1888R NB/1888L Right or left.



MISTRAL GLOVE

IB/750 € 65,50 (c)

Fireproof fabric with stretch suede inserts. Reinforced padded knuckles to improve strength.

- Colours: black, red, blue.
- Sizes: S-XL
- Homologation: FIA 8856-2000



BLAST

NB1578 € 75,50 (A)

SIZES: 44-64

MECHANICS'



OMP

CHILDREN SIZES: height 120-130-140-150 sizing information on page 287

OMP

NB1579061XX

Red

ELASTIC



WORKSHOP GLOVE

NB/1886 € 21,50 (c)

SIZES: S-XL sizing information on page 287

and technical

velcro closure

SIZES: M (S-M) - L (L/XL)

sizing information on page 287

TECHNICAL SHORT GLOVE FOR PROFESSIONAL USE

With palm in suede leather for best fitting and adherence.



SHORT GLOVE

NB/1885 € 9,80 (c)

SHORT TECHNICAL GLOVE

Polyester/cotton.



elastic slipout-proof

PRO MECH GLOVE

IB/758

NEW FOR 2015

SIZES: S-XL **HOMOLOGATION:** FIA 8856-2000

sizing information on page 287

FLUO MECHANIC'S GLOVES



SHORT GLOVE

NB/1867 € 19,50 (c)

SIZES: M - XXL sizing information on page 287

SHORT TECHNICAL GLOVE

100% nylon. Packaging: 10 pieces.



186

NB1579 € 55,50 (A)

SUPER RESISTANT

MECHANICS OVERALL

Lightweight and durable

polyester - cotton fabric.

POCKETS

NB1579041XX Blue

NB1579071XX Black

for holding tools

KNEE PADS

VELCRO

closure

MP

ALSO FOR CHILDREN

ARMBELLOWS in knit elastic fabric

189



LONG GLOVE

NB/1868 € 46,00 (c) SIZES: M (S-M) - L (L/XL)

LONG MODEL GLOVES



APRON

NB/1879 € 16,50 (C)

COTTON APRON

Cotton apron, features a small tool pouch and large pockets.

- NB/1879
- NB/1879061



SLEVEES

NB/1872 € 45,50 (c)

Aluminized sleeves, offering

excellent protection against



ONE SIZE

WORKSHOP SHOES

ORC3404 € 80,00 (c)

INNOVATIVE MECHANIC SHOES


REALIZED IN COOPERATION WITH LOTTO SPORT ITALIA®



SYNTHETIC LEATHER INSERTS IN CARBON FIBER LOOK

SIZES: 38,5-39-40-40,5-41 42-42,5-43-43,5-44 45-45,5-46-47







The elliptical elements are derived from the shell and guarantee the cushioning and the returning of the energy during the thrust phase.



MIDSOLE IN EVA: new technological expanded material with cushioning syn-pulse system on the heel zone, which offers different levels of cushioning between the inner and outer part of the foot







ONE VINTAGE SUIT



LE MANS



CLASSIC HOMOLOGATION FIA 8956 200

HOMOLOGATION FIA 8856-2000 APPROVED SFI 3-2A/5 ON REQUEST SIZES: 46-64 **OVERALL IN TYPICAL '70s DESIGN** sizing information on page 287 Outer layer in aramid fiber. Inner layer in comfortable breathable knitted fabric. **INNER COLLAR** in soft knitted fabric for maximum comfort. IA01816F042XX Navy blue 2 VERTICAL STRIPES on the chest. **OUTER POCKET** OW IA01816F028XX **ELASTIC** Ecrù 194

IB/746 PAPPROVED

SIZES: S - XL sizing information on page 287

€ 79,50 (c)

HOMOLOGATION FIA 8856-2000

VINTAGE GLOVE

'70s design with fabrics and quality of last generation gloves. Fire-resistant fabric with stretch suede inserts. Internal seams.



REIMS

SC067

SIZES: S - XL € 92,00 (c)

VINTAGE CAP

Made entirely of soft smooth skin.



TAZIO

IB/747

VINTAGE GLOVE

IB/746/M

Ecrù

SIZES: S - XL sizing information on page 287

€ 19,50 (c)

Smooth leather and cotton fabric.

IB/746/N

Black







IB/747/M Ecrù

THRUXTON

SC066

€ 36,50 (c)

VINTAGE GOGGLES

Made of faux leather with metal details.



IC/782

€ 219,00 (c)

APPROVED

HOMOLOGATION FIA 8856-2000 SIZES: 37-46

sizing information on page 287

HIGH QUALITY VINTAGE BOOTS

Polished leather lined in soft jersey.

Printed rubber sole resistant to hydrocarbons.

High quality treated leather for an ultra-soft feel.

Accurate hand-made production.

IC/782015XX

Brown

HIGH SENSIVITY SOLE

CARRERA LOWBOOTS





HA/757/N € 221,00 (A) ADJUSTABLE VELVET headrest for greater comfort. VINTAGE '60'S STYLE SEAT Upholstered in faux leather and velvet. FAUX LEATHER SIDES RAISED BACKREST and velvet seat

196

Measure in mm

SILVERSTONE


HA/756/N € 219,00 (A)

TUBULAR STEEL FRAME M8 LOWER FIXING POINTS 345X270 MM Y

VINTAGE SEAT SPECIFIC FOR OPEN CARS Upholstered in faux leather.

FAUX LEATHER SEAT

and back with horizontal quilting



FAUX LEATHER SIDES


Measure in mm



HOMOLOGATION FIA 8855 - 1999 STEEL FRAME W SIDE AND Y BOTTOM FIXING POINTS **HANS®** COMPATIBLE

LARGE SHOULDER HARNESS SLOTS

to accommodate various heights.





OD/2022/MO

€ 211,00 (c)

FLAT

OD/2023/LE € 64,50 (c)



Wooden hand-finished. Diameter: 360 mm Handgrip: oval 25x23 mm



MUGELLO

Wooden. Diameter: 350 mm Handgrip: round 30 mm

ROLL CAGES STRUT BRACES



OMP's 40 years of experience in the roll bar and strut brace production along with the conservation of the original blue prints allows OMP to offer, nowadays, a vintage line for such items.

Our extensive experience allows us to present product lines with a high technological value and an easy installation process.


It's not a coincidence that major automakers adopt our roll bars for their own autos and for their own championship series.

In the strut brace segment OMP is the European leader with over 1000 different products including the one for vintage cars.

SEARCH COMPLETE APPLICATION LIST ALSO ON WWW.OMPRACING.COM







KK01722 € 219,00 (c)

HOMOLOGATION CIK-FIA LEVEL 2 2 LAYERS SIZES: 44-62



OMP

ALSO FOR CHILDREN

LOW CUT COLLAR

FULL FLOATING ARMS

KK01723L274XX Black/fluo green

KK01723 € 149,50 (c) KK01723C € 139,50 (C) KK01723L € 159,50 (c)

KK01723LC € 149,50 (c)

CLASSIC AND FLUO COLOURS SUIT

New karting suit with exterior in cordura, interior in soft cotton sponge. Revised fit for improved comfort and ergonomic driving position. Inside pockets.



MESH INSERTS

on thighs area to improve ventilation

KK01723L179XX Black/fluo orange



KK01723L178XX Black/fluo yellow



Black/fluo cyan



KK01723089XX Grey/black



KK01723043XX Blue/white



KK01723063XX Red/white



KK01723076XX Black/white



KK01724 € 99,50 (c)

208

HOMOLOGATION CIK-FIA LEVEL 1 4 LAYERS SIZES: S-XXL **CHILDREN SIZES:**



SUMMERK

OMP

KK01719 € 65,50 (c)

1 LAYERS SIZES: S-XXL **CHILDREN SIZES:** HEIGHT 120-130-140-150 sizing information on page 287

KART INDOOR

of movement

ALSO FOR CHILDREN SPECIAL

ONE LAYER KARTING SUIT

Made of lightweight and durable cotton fabric, ideal for indoor karting.
Inside pockets.



KK01719061XX Red



KK01719041XX Blue



KK01719071XX Black



ONE SIZE

5 SUMMER SHIT

KK03016 € 37,00 (c)

SIZES:

SMA (corresponding sizes XS/S / suit sizes 44-48) **MED** (corresponding sizes M/L / suit sizes 50-54)

XLAR (corresponding sizes XL/XXL / suit sizes 56-60)

SHORT SLEEVED T-SHIRT Stretch fabric, hydrofobic highly hygienic hollow fiber. **ELASTIC FABRIC** Ulta-low density jacquard weaving for high breathability. Ideal in hot conditions. OMP **ULTRA-FLAT SEAMS** KSTYLE LOW DENSITY JACQUARD KK03016020 White **ULTRA-FLAT** anti rubbing seams

KK03015 € 19,50 (c) ONE SIZE Hydrofobic highly hygienic hollow fiber. Compact weaving for winter use. OME KK03015020 White



BALACLAVA

KK03005 € 5,00 (c)

Knit cotton,

open face

balaclava.

KS WINTER BALACLAVA



KS SUMMER BALACLAVA

KS SUMMER SHORTS

KK03017 € 19,50 (c)

ONE SIZE

SIZES:

SMA (corresponding sizes XS/S / suit sizes 44-48) **MED** (corresponding sizes M/L / suit sizes 50-54)

XLAR (corresponding sizes XL/XXL / suit sizes 56-60)

Stretch fabric, hydrofobic higly hygienic hollow fiber. Low density jacquard weaving for high breathability for use in hot conditions.

> KK03017020 White



KK03005020 White KK03005061 Red KK03005041 Blue KK03005071 Black





KK03019071 Black

KSWNTERSHIRT

OMP

KKO3012 LONG SLEEVES € 43,00 (c) **KKO3011 SHORT SLEEVES** € 39,00 (c)

SIZES:

SMA (corresponding sizes XS/S / suit sizes 44-48) **MED** (corresponding sizes M/L / suit sizes 50-54) **XLAR** (corresponding sizes XL/XXL / suit sizes 56-60)

CREW NECK TOP
with ultra flat seams

HIGHLY BREATHABLE FABRIC

FOCUS ON

ULTRA-FLAT SEAMS

SLIM FIT DESIGN

213

OMP

Compact weaving for thermal insulation.

Short or long sleeved shirt, hydrofobic highly hygienic hollow

KART TOP

KK03012020XX White (long sleeves)

KK03011020XX White (short sleeves)

SLIM FIT DESIGN

extremely light and stretchy

HIGH BREATHABLE fabric inserts



KK03011071XX Black (short sleeves) KK03012071XX

KK03012071XX Black (long sleeves)

KS-1 GLOVES

KK02741 € 59,50 (c)

SIZES: XXS - XL

sizing information on page 287

TOP PROFESSIONAL KART GLOVE

In stretch material with high grip palm and outer seams.



KK02741220XX White/red/black



KK02741270XX Black/white/ fluo green



KK02741241XX Blue/black/cyan



KK02741198XX Black/white/grey 214



for tight fitting at the wrist



SIZES: XXS - XL

sizing information on page 287

PROFESSIONAL KART GLOVE

In stretch material, with high

grip palm. Internal seams.

SIZES: XXS - XL sizing information on page 287

CHILDREN SIZES: 4-6

ALSO FOR CHILDREN

4	XXXXXS
5	XXXXS
6	XXXS



STRETCH ELASTICIZED GLOVE

KK02743 € 29,00 (c)

Kart gloves in stretch elasticized fabric. Excellent quality/price ratio.

stretch
pric.
ALSOFOR





KK02743279XX Black/white/ fluo yellow

KK02743076XX Black/white



KK02743270XX Black/white/fluo green

KK02742230XX

Black/white/lime green

NEOPRENE PALM with anti-slippery rubber inserts

ELASTIC WRIST STOP

KK02744 € 22,00 (c)

ENTRY LEVEL KARTING GLOVE

Robust and comfortable.

SIZES: XXS - XL sizing information on page 287

XXXXXS

CHILDREN SIZES: 4-5

KK02739 € 25,00 (c)

SIZES: XXS - XL sizing information on page 287

CHILDREN SIZES: 4-5

RUBBER INSERTS

XXXXXS

XXXXS

NEOPRENE KARTING	
GLOVE	



KK02739071XX Black

RAINK GLOVES







KK02744071XX Black

SHOES SHOES

IC/811 € 90,00 (c)

SIZES: 36 - 47 sizing information on page 287

PROFESSIONAL SHOES





IC/811070XX Black/white/grey



IC/811120XX White/black/red



IC/811270XX Black/white/fluo green



KARTING

IC/812 € 74,50 (c)

SIZES: 32 - 47

sizing information on page 287



IC/813 € 59,50 (c)

SIZES: 32 - 47

sizing information on page 287

SUEDE LEATHER SHOES

ALSO FOR CHILDREN



ALSO FOR CHILDREN **MICROFIBER SHOES**



IC/812273XX

Black/white/red

IC/812242XX Blue/white/light blue



IC/812230XX Lime green/white/black



222

HOMOLOGATION	LAYERS	SIZES	ALSO FOR CHILDREN				
KS-1 SUIT				KK01721274XX	KK01721076XX		
CIK-FIA LEVEL 2	2	44 62	1				
KS-2 SUIT				KK01722164XX	KK01722147XX	KK01722076XX	
CIK-FIA LEVEL 2	2	44 62	100				
KS-3 SUIT				KK01723L178XX	KK01723L179XX	KK01723L274XX	KK01723L275XX
CIK-FIA LEVEL 2	3	42 62	1				
			Her	KK01723089XX	KK01723043XX	KK01723063XX	KK01723076XX
	2						
KS-4 SUIT	NAME OF THE		32433	KK01724061XX	KK01724041XX	KK01724071XX	
CIK-FIA LEVEL 1	4	S XXL	1				
SUMMER K				KK01719061XX	KK01719041XX	KK01719071XX	
	1	S XXL	1				E

PLEASE NOTE	The XX in each part number indicates the location of the size.
5/-	location of the size.

OUTSOLE	REAR INSERTS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES	O NES			
KS-1 SHOES					IC/811070XX	IC/811120XX	IC/811270XX	IC/811058XX
ultralight	1	1		36 47			KS-1	No. H
KS-2 SHOES					IC/812273XX	IC/812242XX	IC/812120XX	IC/812230XX
light	1	1	1	32 47				4
KS-3 SHOES					IC/813070XX	IC/813241XX	IC/813180XX	
light	1		1	32 47			A	

PALM INSERT	EXTERNAL SEAMS	VELCRO STRAP	ALSO FOR CHILDREN	SIZES				
KS-1 GLOVES					KK02741198XX	KK02741241XX	KK02741220XX	KK02741270XX
rubber application	INNER INDEX SEAM OF THE RIGHT GLOVE this facilitates the sensitivity of the carburation screw	1		XS XL	KK02741058XX	Bio and a second	SWO O	E A
KS-2 GLOVES	3,3444				KK02742242XX	KK02742176XX	KK02742230XX	
rubber application			1	XXS XL	3	3	3	
KS-3 GLOVES					KK02743076XX	KK02743175XX	KK02743176XX	
synthetic leather			1	XXS XL	31/	200		
					KK02743270XX	KK02743271XX	KK02743279XX	
KS-4 GLOVES				3633	KK02744071XX	KK02744146XXKF	02744060XX	KK02744099XX
suede leather	F10	1	1	XXS XL	=			
RAIN K GLOVE	S				KK02739071XX			
neoprene and rubber inserts			1	XXS XL	=			*\/



KARTING ACCESSORIES

RAINPROOF SUIT KK03101XXX004 SIZES: XXS - XXL € 36,50 (c)

Other features include: zippered front and collar with Velcro® closure. 0.20 mm transparent PVC Seams: heat







SHOE COVER

KK08071XX € 19,50 (c)

SIZES: XS - XL

Nylon rainproof shoe-cover. Seams: heat welded. Sole: ultra soft reinforced rubber.

Sizes:

XS (32/34) - S (35/37) M (38/40) - L (41/43) XL (44/47)



ELBOW AND KNEE PADS

KK04XXX

KK04006071 Padded elbow pads.

€ 15,00 (c)

KK04005071 Padded knee pads.

€ 14,70 (c)



SIZES: XS - L

RIB PROTECTION VEST

KK04001 € 43,50 (c)

SIZES: XS - XL

Material: shock absorbing. Inserts: high vibration absorbtion.

Straps: double adjustable. Cover: stretch fabric.



KK04001XXX071 Black

226



CARBONRIB PROTECTION VEST

KK047E € 95,00 (c)

Carbon fiber rib protection vest. Straps: adjustable.



KS BODY PROTECTION

KK048 € 119,50 (c)

LIGHTWEIGHT AND **RESISTANT**

In polycarbonate material. Provides support and protection to the ribsand back. Adjustable straps to improve comfort fittings. Properly shaped and stuffed to have ultra-comfort.



KK048178ML

NEW

FOR 2015

XS/S (lower chest 70-89 cm / height 160-170 cm) **M/L** (lower chest 89-110 cm / height 170-190 cm)



KK048071XSS KK048071XL Black



SAFETY HARNESS

KK05036 NEW FOR 2015 **ONLY ON REQUEST** KARTING HARNESSES

227



GRANPRIX 10K

SC765 € 449,00 (c)

HOMOLOGATION SNELL K-2010

LIGHT COMPOSITE SHELL

SIZES: XS-XL sizing information on page 287

FULL FACE FORMULA STYLE HELMET

2 vents on the chin, 3 adjustable air vents on the shell, 3 rear vent holes. Removable cheek paddings (can be purchased separately also in larger

Product financed in cooperation with resources

POR CRO Region of Liguria 2007-2013



GP 75 K

SC777K € 225,00 (c)

FULL FACE FORMULA STYLE HELMET

HOMOLOGATION SNELL SA-2010 FIBERGLASS SHELL





SC778 € 219,00 (c)



HOMOLOGATION SNELL FIA CMR 2007 SIZES:

XS (52-53cm) S (54-56cm)

M (57-59cm)



SC752 € 359,00 (c)

SPECIAL FOR CHILDREN **KARTING HELMET**

Featuring a composite shell, internal lining in anallergic knit fabric (not fireproof). 2 chin vents to prevent fogging of the visor.



HOMOLOGATION SNELL FIA CMR 2007 COMPOSITE SHELL SIZES: XXXS-L

sizing information on page 287

Corresponding head circumference sizes:

CIRCUMFER.	SIZES
50/51 cm	XXXS
52/53 cm	XXS
54/55 cm	XS
56 cm	S
57/58 cm	M
59 cm	L

HIGH-PRECISION ADJUSTMENT

HOMOLOGATION ECE 22,05

SIZES: XS-XXL

sizing information on page 287

device wich makes it fit very closely to the shell

€ 83,50 (c)

FULLFACE THERMOPLASTIC HELMET

2 front vent holes, 3 chin air intakes (one is adjustable), 3 rear vent holes. Velvet lining (not fireproof).





STAR

SC607 € 62,50 (c)

OPEN FACE KARTING HELMET

not fireproof.



HOMOLOGATION ECE 22,05

SIZES: S-XL

sizing information on page 287

UNIVERSAL ACCESSORIES

TURBO RAIN

SC01022 Turbo rain visor made from thermoplastic trasparent material, designed to be mounted on any full face helmet.



COLLAR F de K 1997

KK04003 HOMOLOGATED

€ 53,50 (c)



COLLAR

KK04009

KK04003000073 KK04003000075 KK04003000071 Red/black

Blue/black

Anatomic homologated collar in expanded polyurethane multi density foam with increased rigidity at the rear "fin" of the collar. One size.

New waterproof kart neck support collar, modern K STYLE design.

One size.

232

HELMET ACCESSORIES

GRAND PRIX 10K

SC091 € 16,00 (c)



SC095 € 43,00 (c)



Spare cheek pads. Sizes: XS/S/M (for small shell sizes) Sizes: L/XL (for big shell sizes)

SC096 € 46,00 (c)



SCO14 € 4,10 (c)



Tear off post kit (2 per package).

SC056 € 14,10 (c)



Tear off kit (5 per package).

SC044 € 20,50 (c)



Pivot kit to fix visor.

\$C039 € 53,00 (c) **\$C040** € 49,00 (c)

SC041 € 77,50 (c)



SC043 € 77,50 (c)



Smoked visor.



Transparent visor.



Iridium blue visor.



Iridium silver visor.



Iridium gold visor.

GP 75 K

€ 5,10 (c)

SC098 € 27,50 (c)



Transparent visor.

SC099 € 29,50 (c)



Smoked visor.

SC101 € 3,10 (c)



Kit bottoms for tear off.

SC108

Couple front vent.

Tear off (5 pieces). € 12,30 (c) SC109

Cheek pads. Sizes: S/M/L/XL € 21,50 (c)

SC110 Wind stopper. Sizes: S/M/L € 16,00 (c)

SC146

Pivot kit to fix visors. NEW

FOR 2015 € 16,00 (c)

Anti-scratch clear visor SC143 Anti-scratch smoked visor Pivot kit to fix visor

SC144 SC145 Tear off visor

€ 27,00 (c) € 33,00 (c)

€ 12,00 (c) € 12,00 (c)

No picture.

J-KART CMR

PRODUCTION FROM 2010

IDENTIFIABLE BY THE PRINTED DATE O.H.-2010 NEAR THE HELMET VISOR

SC075 A/B € 71,00 (c)

Smoked visor. SC075A sizes: XXXS and XXS SC075B sizes:XS/S/M/L

SC076 A/B € 64,50 (c)

Transparent visor. SC076A sizes: XXXS and XXS SC076B sizes: XS/S/M/L

SC077 A/B € 77,50 (C)

Mirror finished visor. SC077A sizes XXXS and XXS SC077B sizes XS/S/M/L



ONLY 2009 PRODUCTION

IDENTIFIABLE BY THE PRINTED DATE O.H.-2009 NEAR THE HELMET VISOR

SC069 A € 71,00 (c)

Smoked visor. SC069A sizes: XXXS and XXS



SC068 A/B € 64,50 (c)

Transparent visor. SC068A sizes: XXXS and XXS SC068B sizes: XS/S



PRODUCTION FROM 2010

SC074 € 19,00 (c)

Pivot kit to fix visors.

Smoked

visor.



SC073 € 14,10 (c)

Tear off kit (5 per package)



EIRCUIT



SC116 € 12,30 (c)



SC031 € 8,20 (c) Black

sun peak visor.



SC030 € 8,20 (c)

White sun peak visor.



234

SEATS

FLAT KART SEAT

KK05032 € 39,50 (c)

8 SIZES

K0503227	27 cm	
K0503229	29 cm	
K0503230	30 cm	
K0503231	31 cm	
K0503232	32 cm	
(K0503233	33 cm	OTTO
KK0503236	36 cm	
K0503238	38 cm	
1 1 1 1		width

SEMITRANSPARENT SEAT

KK05030XX € 35,50 (c) KK05030LXX € 39,50 (c)

8 SIZES



FIBERGLASS SHELL

KK05031 € 100,00 (c)

8 SIZES

REF.	WIDTH				
K0503127	27 cm				
K0503129	29 cm				
K0503130	30 cm				
K0503131	31 cm		-	()) [1	
K0503132	32 cm	- 600			
(K0503133	33 cm	100			
K0503136	36 cm			-	
KK0503138	38 cm	100		OMP	11/1
	1	—	width		
4					
					7
	iboraloos ab	اا			
	iberglass sh pholstery :	JII.			

SEATPADDING

KK036 € 25,00 (c)

Polyethylene seat padding kit (5 piece kit) pre-cut pads for

All components are self adhesive to facilitate positioning on any seat shell. Thickness: 8 mm



KARTING ACCESSORIES

TYREBAG

KK03300 € 22,00 (c)

Polyamide nylon tyre bag (suitable for 4 tyres), tear resistant waterproof fabric.



KS COVER

KK03201 € 49,00 (c)



DIGITAL TYRE PRESSURE

€ 30,00 (A) NC/072

0,6 CLASS

Digital tyre pressure gauge. Resolution: 0.05 bar. Range: 0-7 bar.



ANALOG TYRE PRESSURE

€ 72,50 (A) NC081

Analog tyre pressure gauge. Resolution: 0.1 bar.

Range: 0-40 psi, 0-2.7 bar.



1,0 CLASS

KART TROLLEY

KK05012 € 160,00 (c)

Steel frame kart trolley, easily disassembles for storage.

NUMBER PLATE

X/892


Adhesive front number plate. **Dimensions:** 200x200 mm € 1,00 (P)




grey carpet.











RAID2



TRS-LEGEND



HOMOLOGATION
FIA 8855 - 1999
STEEL FRAME
W SIDE AND Y BOTTOM
FIXING POINTS
HANS®
COMPATIBLE

Measure in mm

LARGE SHOULDER HARNESS SLOTS

to accommodate various heights.





Measure in mm

OFF ROAD

515 HST



RACINGHM





OD/2031/NN € 110,00 (c)

Diameter: 380 mm **Handgrip:** round 30 mm

IN POLIURETANE FLAT SUPPLIED WITH HORN BUTTON



BRACKETS

HC/830 € 227,00 (c)

FIA APPENDIX J ART. 253

Aluminium brackets.

Tall model equipped with a damper.

Patented model.

Length: 495 mm

Thickness: 6 mm



to reduce vertical loads on the driver

AIR CUSHION

HB/665/CA € 93,00 (c)

Air cushion seat, upholstered in black synthetic leather, pressurizing valve on the front for easy adjustment. Adaptable to any seat, best in cases of high stress as in off-road and speedboat.



242



HA/719E/N € 279,00 (A)



DESIGN 2

HA/736E/N € 259,00 (A)

TESTED AND COMPLYING WITH DIRECTIVE 96/37/CE

> M8 Y BOTTOM **FIXING POINTS**

345X270 MM

2 SEAT BELT **OPENINGS**



PRECISION RECLINING MECHANISM and quick-tilting mechanism to facilitate rear seat access

246

mechanism to facilitate

rear seat access

STRADA

HA/750/N € 219,00 (A)

TUBULAR STEEL M8 Y BOTTOM FIXING POINTS





HA/728E/N € 199,50 (A)

M8 FIXING POINTS Y BOTTOM 345X270 MM

W SIDE 289 MM **4 SEAT BELT OPENINGS**

TUBULAR STEEL





248

TUNING

OMP CHAIR


HA/777 € 199,00 (P)

Wheeled chair in synthetic leather with reclining mechanism, pneumatic seat height adjustment and



LEGEND

- A ext. max width at shoulders
- B seat bottom to mid shoulders
- C ext. max width of side bolsters
- D tot. height of seat back
- E seat bottom max width
 F seat inner width (belt holes area)
 W = side fixing (289 mm)
 Y = bottom fixing (345x270 mm)




9-A-9

	MEASURE IN MM									, E- B	
SHELL	A	В	С	D	E	F	HARNESS SLOT	FIXING			
STYLE / RAI	D2								HA/719E/N	HA/776T/N	HA/776E/N
Tubular steel	560	630	510	970	300	560	3	Y		(M)	
DESIGN 2									HA/736E/N		
Tubular steel	540	640	510	950	310	560	2	Υ	A		
STRADA									HA/750/N		
Tubular steel	540	640	510	950	310	560	2	Υ	1	:/6	
RALLYE									HA/728E/N		
Tubular steel	580	610	490	900	350	480+22	4	W+Y			

SEAT MOUNTING EXAMPLES


Seat with lower attachments points

- 1 Sliding brackets (HC/665)
- 2 Optional seat bracket spacer (HC/857 or HC/858)
- 3 Seat mounting bracket (vehicle specific)



Seat with side attachments points

- 1 Side mounting brackets (Racing)
- 2 Sliding brackets (HC/665)
- 3 Seat mounting bracket (vehicle specific)



250

SEAT BRACKETS

HC/665 € 39,00 (A)

Universal sliding rail kit to be mounted between seat and seat bracket.



Seat mounting brackets.

HC/857 € 65,00 (A)

Seat bracket spacer allows the seat height to be adjusted, depending on which side is used for mounting.

Height: + 25 mm or + 50 mm above the vehicle specific adaptor.

HC/858 € 105,00 (A)

Seat bracket spacer to consent seat adjustment.

Height: + 50 mm, + 62 mm and + 75 mm respect to the vehicle specific adaptor.

Inclination: 2.5° or 5° seat angle adjustments.





Search Complete Application List, for the complete list of item available - also on www.ompracing.com

STRADA3



HOMOLOGATION ECE 3 POINTS



Black

ROADHM

HOMOLOGATION DA507 € 79,50 (A) Snap hook attachment.



ROADL

DA505 € 69,50 (A) **HOMOLOGATION** ECE Bolt-in attachment. 4 POINTS Adjusters: steel. Push button release: central. Supplied with 7/16" bolts. SHOULDER STRAPS 2" DA505041 Blue DA505061 Red DA505071 Black LAP STRAPS: 2"

ECE

ROAD 3



SEAT BELT PADS

DB/450 € 12,60 (A)



DB/454 € 12,60 (A)





OD/2018/LN € 80,00 (A) HORN BUTTON **SMOOTH LEATHER CHROME SPOKES BLACK STITCHING** PERFORATED LEATHER INSERTS

FLAT SUPPLIED WITH

Diameter: 350 mm Handgrip: oval 32x27 mm





RACING GP



TRECENTOUNO



TUNING PEDAL SETS

OA/1067 3 PEDALS

€ 20,00 (A)





Silver

0A/1067/B

Complete 3 pedal set in anodized aluminium and sandblasted aluminium, with short accelerator pedal; anti-slip design.

Dimens. brake: 60x85 mm Dimens. accelerator: 55x106 mm Supplied with steel bolts. OA/1069

3 PEDALS

€ 20,00 (A)

OA/1069/B Blue









0A/1069/A Silver



OA/1069/ Red

Complete 3 pedal set, in anodized aluminium and sandblasted aluminium, with long accelerator pedal; anti-slip design.

Dimens. brake: 60x90 mm
Dimens. accelerator: 65x180 mm
Supplied with steel bolts.

OA/1072

2 PEDALS

2 PEDALS

€ 20,00 (A)



Complete 2 pedal set with long accelerator pedal; anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design, brake pedal for automatic transmission.

Dimens. brake: 140x79 mm **Dimens. accelerator:** 65x180 mm Supplied with steel bolts. € 20,00 (A)

OA/1068







OA/1068/A Silver

Complete 2 pedal set in anodized aluminium and pressure die-caster sandblasted aluminium with anti-slip design with short accelerator pedal and brake pedal for automatic transmission.

Dimens. brake: 140x70 mm **Dimens. accelerator:** 55x106 mm

Supplied with steel bolts.

256

TUNING PEDAL SETS

OA/1040

PRECURVED

€ 20,00 (A)



Complete 3 pedal set with short accelerator pedal in silver anodized aluminium.

Inserts: rubber anti-slip.
Dimens. brake: 60x80 mm

Dimensions accelerator: 60x105 mm

Supplied with steel bolts.

TOWHOOK

EB/572 € 33,00 (A)

Aluminium tow hook, flat. **Thickness:** 6 mm



EB/573 € 35,00 (A)

Aluminium tow hook, angled.

Thickness: 6 mm



EB/574 € 30,00 (A)

90° tow hook adaptor, in aluminium.

Thickness: 6 mm



CHEMICAL PRODUCTS

PC01001 € 6,90 (A)

FINE WHEELS

Concentrated detergent for steel wheels, alloy wheels

and brake calipers. **Contents**: 550 ml





PC02002 € 8,90 (A)

BLACK LIGHT

Transparent black acrylic paint for personalization of indicator lights.

Colours: black, green,

blue.


Contents: 400 ml

FIRE PAINT

Special high temperature paint for exhaust systems, brake calipers, engines, etc. **Colours**: red, blue, yellow, black, silver, gold. **Contents**: 400 ml

PC02001 € 9,90 (A)





ROAD & SPORT BRAKE PADS

OMP Road & Sport brake pads have been developed to offer excellent performance in fast road use. Excellent stability of the friction co-efficiency, even at the highest temperature. This compound is the result of 30 years experience in rallies and track racers.

R-90 approved for cars manufacturerd after October 1999.

Search Complete Application List also on www.ompracing.com



SPORT BRAKE DISCS

Ideal for fast road use. For the best braking performance, we recommend to use these discs in combination with OMP Road & Sport compound brake pads.

ISO certified production process, to grant the highest quality standards.

Search Complete Application List also on www.ompracing.com





GGO HELMET

SC612 € 69,50 (c)

HOMOLOGATION ECE 22.05

SIZES: XS-XL

Featuring a thermoplastic material with synthetic leather pipings. **Design:** refined and modern for urban use and modern scooters.

Intern covering: transpirant and extractable, also washable for a high

hygiene and perfect comfort.

Aeronautic visor: for total face protection.



RACING SPIRIT HOODIE

OR5903 € 65,50 (P)

OR5903020XX

White

262

SIZES: S-XXL



RACING SPIRIT POLO

OR5905 € 35,00 (P)

NEW FOR 2015

OR5905020XX White

SIZES: S-XXL

ONE EVO STYLE DESIGN

Short sleeved polo shirt made of cotton fabric. Also available in neutral version without logos for team customizations upon request (OR5905N).



OR5905080XX Grey

263

RACING SPIRIT T-SHIRT

OR5904 € 23,00 (P)

SIZES: XS-XXXL

NEW FOR 2015

SHORT SLEEVED T-SHIRT

Made in cotton fabric with "OMP" and "Racing spirit" logos.





OR5904020XX White

264

BLACK T-SHIRT

€ 23,00 (P)

NEW FOR 2015

SIZES: XS-XXL

SHORT SLEEVED T-SHIRT

yellow "OMP" logo.



RACING SPIRIT SHIRT

OR5902 € 55,50 (P) **OR5902W** € 55,50 (P)

SIZES: 38-39-40-41-42-43-44 (MEN) S-M-L-XL (WOMEN)

LONG SLEEVED SHIRT

Made in cotton fabric with embroidered "OMP" logos. Available for men (OR5902) or for women (OR5902W).



OR5902080XX OR5902W080XX Grey

266



TRAVEL BAGPLUS

ORA/2957 LARGE DIMENSIONS 90x37,5x38,5 cm PROVIDED WITH TROLLEY



URBANBAG

ORA/2955

€ 76,50 (A)

MEDIUM DIMENSIONS 70x30x30 cm PROVIDED WITH TROLLEY



CO-DRIVER

ORA/2953 € 35,50 (A)

DIMENSIONS: 44,5x6x25 cm



TRACE UMBRELLA

PR912 € 19,00 (P)

DIAMETER 1 m.







NEW

FOR 2015

PR918C € 3,50 (P)

Also for children. One size.

Colours:

PR918C020 white PR918C071 black

PROMOTIONAL ITEMS

X/694E/80TNT € 2,50 / meter (P)



Racing design tnt band, sold per meter. Height: 80 cm

PR880 € 2,50 (P)



PR917 € 14,00 (P)



USB Flash Drive with custody. 4 GB

PR908 € 9,00 (P)



Pen with pen holder.

X/846 € 2,00 (P)

Assorted sticker sheet with: tow hooks, extinguisher and master switch stickers.



X/694E/15

€ 8,90 (P)

€ 39,00 (P)



Racing design nylon band with OMP logo. Height: 15 cm Roll: 500 m

X/867



Flag. Dimensions: 1000x1500 mm

PR919 € 3,50 (P)



X/889 € 2,00 (P)



Assorted OMP sticker.

FIE-CHLD SEAT



seatback

270

CHILD SEAT





OMPCHAIR

HA/777 € 199,00 (P)


seat height adjustment and adjustable armrests.




OMP CHAIR CUSTOMIZATION BY







MOTOGP







PR920 € 151,00 (P)



PR921 € 151,00 (P)



Mechanic stool with air-operated adjustment in height, base with 5 wheels, small basket and tool case.

PR922 € 161,00 (P)



Paddock stool with height djustment, footstool, customized yellow spring.

HC/801 € 116,00 (P)



X/963/CINT € 45,00 (P)



X/963

€ 60,00 (P)



Steel seat display base with two bolt patterns to accommodate mounting of OMP seats - both bottom mounting or side mounting models with side brackets.

X/683/BR € 5,00 (P)



X/683/BK € 5,00 (P)

Karting suit bag.







Thanks to the collaboration with Magneti Marelli, it has been conceived and realized our new line of products following their precise instructions. OMP satisfies the needs of every team by offering a full range of customizable clothing.

PRODUCTS AVAILABLE ONLY ON REQUEST.

Please feel free to contact your representative for detailed quotes.

All indicated colours are available the three customizable parts of each item of clothing: basic colour, hips and














Standard OMP products or designed on specific customer requests are also used in areas different from the motorsport, for example in football stadiums (benches), on ultralight airplanes and military aircrafts.

























<u> Kristoffersson – Team Kristoffersson</u> CAMPIONATO FIA WORLD RALLY CROSS








































































SIZING INFORMATION

SUIT BODY MEASUREMENTS TABLE 52 56 48 50 54 58 60 **62** | WEIGHT (kg) 60/70 70/80 75/85 83/88 85/92 87/95 90/100 95/110 | 105/115 HEIGHT (cm) 155/165 160/170 165/175 170/180 173/183 177/187 182/190 185/195 187/198 190/200 190/200 95/98 99/102 103/106 107/110 111/114 115/118 119/122 123/126 127/130 A - CHEST (cm) 87/90 99/102 103/106 107/110 111/114 115/119 75/78 79/82 83/86 87/90 91/94 B - WAISTLINE (cm) 87/90 07/110 111/114 115/118 119/122 123/126 127/130 95/98 99/102 103/106 C - HIPS (cm) 49/52 55/58 57/60 D - THIGH (cm) 56/60 58/62 60/64 62/66 64/68 66/70 68/72 70/74 71/75 F - ARM (cm) 70/74 72/76 74/78 76/80 78/82 80/84 82/86 84/88 85/89 85/89 87/91 F-INSIDE LEG (cm) G - SHOULDERS (cm) 37/40 39/42 41/45 43/47 45/50 46/52 47/53 48/54 49/55 | 50/56 H - BACK (cm) 44/48 45/49 46/50 47/51 48/52 48/53 49/54 49/55 50/56 51/56



SHOES COMPARISON SIZE TABLE

EUROPEAN SIZES 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48

USA SIZES 2 2_{1/2} 3_{1/2} 4 5 6 6_{1/2} 7_{1/2} 8 9 10 10_{1/2} 11_{1/2} 12 13

LENGHT CM 23 23_{1/2} 24 24_{1/2} 25_{1/2} 26 27 27_{1/2} 28 28_{1/2} 29 30 30_{1/2} 31_{1/2} 32

GLOVES COMPARISON SIZE TABLE

EUROPEAN SIZES	XXS	XS	S	М	L	XL
USA SIZES	7	8	9	10	11	12
CM	121/2/161/2	16 ^{1/2} /19	18/211/2	20/24	23/261/2	251/2/30

measurement please hold ta in center of pa and measure around hand.

HELMETS

COMPARISON

Circumference cm

SIZE TABLE

Inches

22

23

23

23

45

55

55

57

58

59

60

L



OMP RACING S.p.A.

Via E. Bazzano, 5 - 16019 Ronco Scrivia - Genova - Italia Phone (+39) 010 96501 Fax (+39) 010 935698 www.ompracing.com E-mail: omp.info@ompracing.it

VENDITE ITALIA:

Phone (+39) 0109650140 Fax (+39) 0109350580 e-mail: vendite.italia@ompracing.it

SALE IN GENOVA

Via E. Bazzano, 5
16019 Ronco Scrivia (Genova) Italy
Phone: (+39) 010 9650147
Fax: (+39) 010 9350580
Timetable:
monday-friday 9.30-12.30/14-19.00
saturday: 9.30-12.30
Motorway A7 MI-GE,
exit Ronco Scrivia

EXPORT SALES:

Phone: (+39) 010 9650150 Fax: (+39) 010 935698 E-mail: export.sales@ompracing.it

OMP Racing Inc. (OMP AMERICA)

241 NE 61st St. Miami, FL 33137 tel.: (305) 373-0051 fax: (305) 373-6673 Toll Free: 1 866 OMP-2637 www.ompamerica.com e-mail:

info@ompamerica.com

Please check on **www.ompracing.com** to find the official OMP distributors around the world and the commercial terms.

SALE TERMS

When placing an order, the buyer accepts following sale-terms indicated below For possible legal controversies: Court of Genoa (Italy).

PRICES AND PRODUCT CHARACTERISTICS

Prices indicated are VAT excluded. Prices are subject to change without notice. Product characteristics may also vary, even significantly, in particular, but not limited to, colour tonalities.

ORDERS-RETURNED ITEMS DELIVERYTIMES

Orders must be submitted in written form. OMP is not responsible for delayed deliveries and will not pay for consequent damages. All returned goods must be authorized by OMP, sent freight pre-paid and accompanied by regular invoice. OMP will charge all costs for possible damages suffered by returned goods during transport or for missing parts. Defective goods or broken items returned to OMP after use, will be repaired and sent back to buyer. It will not be possible to replace such goods with new items under any circumstances. Damages suffered by goods during transport even if carrier is chosen by OMP, are always at the receiver's charge.

CARE INSTRUCTIONS:

Read the labels on the products and user's manuals before using each item. Strictly follow usage and maintenance instructions provided in the manuals and/or on the labels.

Failure to do so may reduce the effectiveness of the items and result in an increased risk of serious or fatal injuries in the event of a crash or a fire. Improper use or maintenance voids the warranty and relieves OMP Racing of all responsibility towards the user

WARNING

Motorsport is an intrinsically dangerous activity that can result in serious or fatal injuries. The items presented in this catalogue provide protection for a specific body part for a limited period of time in controlled test conditions, according to the FIA standard specified on each item label. No device can provide total protection against potential injuries in the event of a collision or a fire. To avoid these risks, do not enagge in motorsports.

OMP products are sold without warranty expressed or implied. No warranty or representation is made as to any product's ability to protect the user from any injury or death. The user, upon use of these products agrees to hold manufacturer, distributor, and their respective owners employees, agents and representatives harmless. It is the user's responsibility to become familiar with all available information concerning the correct use, care and limitations of these products. If you are uncertain of the correct use or limitations of the products, do not use them. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible or liable for errors or omissions.

WARNING DISCLAIMER

- Personal safety products are only part of a complete safety system that includes the vehicle, the race track and the prevailing conditions at the time of use.

 Personal safety products are not designed to provide the same level of performance or protection throught the particular product. Different parts or areas of a product may provide less protection even though they may appear the same.

 Personal safety products needs to be inspected before each use and should be replaced after any evidence of wear, exposure to chemicals, excessive heat or any unusual condition.

 Products are sold for the exclusive use in officially sanctioned auto racing events and are not intended to be installed and used for regular street use which products are subject to different homologation and laws depending on your country of residence.

 It is the user's responsibility to become familiar with all available information concerning the correct use, care and limitation of these products.

Every single change or customizing on our products and/or every single operation
on them can reduce their safeness. The user responds therefore on his own exclusive
risk and responsibility for any modify or customizing or any other operation on our
products.

BY USE OF THESE PRODUCTS, THE USER ACKNOWLEDGES:

That personal safety products are only part of a complete safety system that includes the vehicle, the race track and the prevailing conditions at the time of use. That personal safety products are not designed to provide the same level of performance or protection throughout the particular product. Different parts or areas of a product may provide less protection even though they may appear the same. That personal safety products needs to be inspected before each use and should be replaced after any evidence of wear, exposure to chemicals, excessive heat or any unusual condition. Helmet is designed to reduce the risk of head and facial injuries on impact only. No helmet can protect wearer against all possible or foreseeable impacts. Helmet is not recommended, marketed and sold for high-risk jobs such as refuelers. Additional information is available online at www.ompracing.it and www.ompamerica.com



